

Correct as at 14th May 2026. It may be superseded at any time.

Extract taken from: Entry certification > Inspection and certification > Lighting > End-outline marker lamps (heavy vehicles)

4-9 End-outline marker lamps (heavy vehicles)

Reasons for rejection

Mandatory requirements

1. A vehicle does not comply with a requirement relating to mandatory equipment set out in the [VIRM: In-service certification, section 4-9](#)

Compliance with approved standards

2. An end-outline marker lamp that is required to comply with an approved end-outline marker lamp standard does not comply, or cannot be demonstrated to comply, with at least one of the standards listed in Table 4-9-1

Condition and performance

3. An end-outline marker lamp does not comply with a requirement relating to condition or performance set out in the [VIRM: In-service certification, section 4-9](#)

Table 4-9-1. Approved end-outline marker lamp standards*

UN-ECE Regulation no.	EEC/EC Directive	FMVSS	ADR	Japan
7	76/758	108	49	JIS D5500 TS for front end outline marker lamps TS for rear end outline marker lamps

* An end-outline marker lamp that is required to comply with an approved end-outline marker standard must comply with at least one of the standards listed in the table.

Summary of legislation

Applicable legislation

- [Land Transport Rule: Vehicle Lighting 2004](#)

Mandatory, permitted and prohibited equipment

1. Vehicles must comply with the requirements relating to mandatory, permitted and prohibited equipment set out in the [VIRM: In-service certification, section 4-9](#).

Compliance with approved standards

2. End-outline marker lamps fitted to the following vehicles must comply with one or more of the approved end-outline marker standards in Table 4-9-1:

- vehicles of class MD3, MD4, ME, NB NC, TC and TD manufactured on or after 1 January 2006.

Condition and performance

3. End-outline marker lamps must comply with the requirements relating to condition and performance set out in the [**VIRM: In-service certification, section 4-9**](#)