

1 June 2013 (WoF only)

VIRM: In-service certification (WoF only) update – effective 1 June 2013

List of changes

To view the page, click on the link in the section column.

Section	Change description
Introduction	
<u>3-3 Establishing whether the vehicle requires a WoF or CoF</u>	<ul style="list-style-type: none"> • Relevant changes to the list of vehicles to identify when agricultural vehicles and other tractors and machines need a WoF.
<u>3-4 Establishing whether the vehicle may be inspected for a WoF or CoF</u>	<ul style="list-style-type: none"> • Added agricultural tractors, and made changes for other tractors and machines, to the list of vehicles that do not require entry certification.
<u>7 Definitions and abbreviations</u>	<ul style="list-style-type: none"> • New definitions: Agricultural motor vehicle, agricultural purpose, agricultural tractor • Changed definition: Agricultural trailer.
Section	Change description
General vehicles	
<u>2-2 Dimensions</u>	<ul style="list-style-type: none"> • Added alternative hazard warning panels for over-dimension vehicles • Clarify that hazard warning panels must be fitted as close as practical to the outside edge of the vehicle.
Section	Change description
General trailers	
<u>2-2 Dimensions</u>	<ul style="list-style-type: none"> • Added alternative hazard warning panels for over-dimension vehicles • Clarify that hazard warning panels must be fitted as close as practical to the outside edge of the vehicle.
Section	Change description

Forklifts

2-2 Dimensions

- Added alternative hazard warning panels for over-dimension vehicles
- Clarify that hazard warning panels must be fitted as close as practical to the outside edge of the vehicle.

Section	Change description
Tractors	
<u>Introduction</u>	<ul style="list-style-type: none"> • This page has been re-written and now contains a new set of requirements and how they apply to different tractors and machines. There will be four types: <ul style="list-style-type: none"> ○ Agricultural tractors ○ Non-Agricultural tractors ○ Agricultural machines ○ Non-agricultural land management and roading machines.
<u>2-2 Dimensions</u>	<ul style="list-style-type: none"> • New definitions: Agricultural motor vehicle, agricultural purposes, agricultural tractor • Note 3 added about hazard warning panel requirements • Table 2-2-1 and Figure 2-2-4: for front overhang, there is an increase from 3m to 4m for agricultural motor vehicles, 3m remains for all other vehicles. • . Table 2-2-2 and Figures 2-2-1 and 2-2-2 updated to include an alternative set of hazard warning panels, and, for agricultural vehicles, an alternative to panels by allowing excess front overhang to be painted with high-visibility paint • Clarify that hazard warning panels must be fitted as close as practical to the outside edge of the vehicle.
4-2 Front and rear fog lamps	Deleted
4-3 Cornering lamps	Deleted
4-4 Daytime running lamps	Deleted
4-9 End-outline marker lamps	Deleted
4-11 High-mounted stop lamps	Deleted
4-14 Reversing lamps	Deleted

Section	Change description
4-15 Cosmetic lamps	Deleted
<u>5-1 Glazing</u>	<ul style="list-style-type: none"> • Simplified requirements by removing VLT requirements, Table 5-1-1 about permitted modifications, and unnecessary definitions and notes.
7-3 Head restraints	Deleted
7-7 Interior impact	Deleted
<u>8-1 Service brake and park brake</u>	<ul style="list-style-type: none"> • Removed reasons for rejection relating to vacuum hose or pipe and brake vacuum servo (under service brake condition).
<u>10-1 Tyres and wheels</u>	<ul style="list-style-type: none"> • Mandatory equipment tyre requirements simplified.
<u>11-2 Visible exhaust smoke</u>	<ul style="list-style-type: none"> • Performance requirements simplified • Rapid acceleration test description reworked.
<u>12-1 Towing connections</u>	<ul style="list-style-type: none"> • Some requirements have been reworded to align with the rule changes, mostly relating to safety chain attachment points and coupling pins.
13-1 Engine and transmission	Deleted
13-3 LPG/CNG fuel system	Deleted
Section	Change description
Unclassified vehicles	
<u>2-2 Dimensions</u>	<ul style="list-style-type: none"> • Added alternative hazard warning panels for over-dimension vehicles • Clarify that hazard warning panels must be fitted as close as practical to the outside edge of the vehicle.