

Correct as at 26th April 2026. It may be superseded at any time.

Extract taken from: Entry certification > Inspection and certification > Tyres, wheels and hubs

## 10 Tyres, wheels and hubs

### 10-1 Tyres and wheels

#### Reasons for rejection

##### Mandatory equipment

1. A vehicle, tyre or wheel does not comply with a requirement relating to mandatory equipment set out in:

- [VIRM: In-service certification, section 10-1, general vehicles](#)
- [VIRM: In-service certification, section 10-1, heavy vehicles](#)

##### Compliance with approved standards

2. A new tyre that is required to comply with an approved new tyre standard did not comply, or cannot be demonstrated to have complied, with at least one of the standards listed in Table 10-1-1 at the time the tyre was manufactured.

3. A retreaded tyre that is required to comply with an approved retread tyre standard did not comply, or cannot be demonstrated to have complied with at least one of the standards listed in Table 10-1-2 at the time the tyre was retreaded.

4. A temporary-use spare tyre that is required to comply with an approved temporary-use spare tyre standard did not comply, or cannot be demonstrated to have complied, with at least one of the standards listed in Table 10-1-3 at the time the tyre was manufactured.

##### Condition and modification

5. A tyre or wheel does not comply with a requirement relating to condition or modification set out in:

- [VIRM: In-service certification, section 10-1, general vehicles](#)
- [VIRM: In-service certification, section 10-1, heavy vehicles.](#)

##### Space-saver tyres

6. A space-saver tyre does not have a safety warning label permanently attached to the outside of the wheel.

7. A space-saver tyre warning label (see Figure 10-1-3 for label examples) does not meet all of the following:

- have safety instructions that are clearly printed in English
- identify that the tyre is for temporary use only
- specify that the vehicle must not be operated at a speed of more than 80km/h or at a lesser speed specified by the tyre manufacturer
- have information on the recommended inflation pressure of the tyre when in use.

**Note 1**

To decode the date of manufacture codes for tyres under ECE, FMVSS and ADR, the requirements are as follows:

- for tyres manufactured before 1 January 2000, codes are three-digit numbers. The first two digits represent the week of the year, the last digit represents the year itself. For example, the code 267 means the 26th week of 1997
- for tyres manufactured on or after 1 January 2000, codes are four-digit numbers. The first two digits represent the week of the year, the last two digits represent the year itself. For example, the code 2501 means the 25th week of 2001.

**Note 2**

A new tyre is a tyre that has not been retreaded.

**Note 3**

New or retreaded tyres fitted to vehicles that are towed at speeds not exceeding 30 km/h are not required to comply with approved standards.

**Note 4**

New or retreaded tyres fitted to groundspreaders or dedicated groundsprayers are not required to comply with approved standards.

**Note 5**

New or retreaded tyres fitted to all-terrain vehicles are not required to comply with approved standards.

**Note 6**

New or retreaded tyres fitted to vehicles that are more than 30 years old are not required to comply with approved standards.

**Note 7**

Class LE2 vehicles have been omitted in the rule in the table for new tyres.

<b>New tyres</b>		<b>Retreaded tyres</b>
<ul style="list-style-type: none"> <li>• NZS 5453 (although the tyre need not be marked with the standard)</li> <li>• NZS 5464 (although the tyre need not be marked with the standard)</li> <li>• ADR 23 (the tyre need not be marked with the standard but should be marked MADE IN AUSTRALIA)</li> </ul>		<ul style="list-style-type: none"> <li>• NZS 5423</li> <li>• AS 1973 (must be followed by 007, 103, 125 or 4007)</li> <li>• BS AU 144</li> </ul>
<b>JATMA standards</b>		
Compliance is assured if the tyre markings contain the full company name or the brand name of one of the following manufacturers together with the words 'Made in Japan':		
<b>Bridgestone Corporation</b> Bridgestone Firestone Seiberling	<b>Sumitomo Rubber Industries, Ltd.</b> Dunlop Falken	<b>The Yokohama Rubber Co. Ltd.</b> Yokohama
<b>TOYO TIRE Corporation</b> Toyo Nitto	<b>Nihon Michelin Tire Co., Ltd.</b> Michelin BF Goodrich	<b>Goodyear Japan Ltd.</b>
<b>Pirelli Japan K.K.</b>		
Compliance is assured if the tyre markings contain the brand name Michelin, the size designation 195/85R16 XZA TL 114/112L together with the words 'Made in Thailand' (Note 10).		
Compliance is assured if the tyre markings contain the brand name Bridgestone, the size designation 11R22.5 G540 together with the words 'Made in Thailand'.		

**Note 8**

Makers of Dunlop and Goodyear brand tyres in Japan.

**Note 9**

Makers of BF Goodrich and RIKEN brand tyres in Japan.

**Note 10**

Isuzu NNR250, NPR250 and NPR 300 model trucks (all variants) imported by Isuzu New Zealand are fitted with these tyres.

**Table 10-1-1. Approved new tyre standards\***

UN/ECE Regulation no.	EEC/EC Directive	FMVSS	ADR	Japan	Others
30	92/23	109	23	JIS D4203	NZS 5453
54	2001/43	119	96	JIS D4230	AS/NZS 2230
75	2005/11			Article 9	The standards of the Japan Automobile Tire Manufacturers' Association, Inc. (JATMA)

\* A new tyre that is required to comply with an approved new tyre standard must comply with at least one of the standards listed in the table.

**Table 10-1-2. Approved retread tyre standards\***

UN-ECE Regulation no.	FMVSS	Others
108	117	BS AU 144
109		AS 1973 NZS 5423

\* A retreaded tyre that is required to comply with an approved retread tyre standard must comply with at least one of the standards listed in the table.

**Table 10-1-3. Approved temporary-use spare tyre standards\***

UN-ECE Regulation no.	FMVSS	ADR	Japan	Others
64	109 129	71 42/04	JIS D4230 Article 9	The standards of the Japan Automobile Tire Manufacturer's Association, Inc. (JATMA)

\* A temporary-use spare tyre that is required to comply with an approved temporary-use spare tyre standard must comply with at least one of the standards listed in the table.

**Table 10-1-4. Load indices**

The load index is a numerical code associated with the maximum load (kg) a tyre can carry at the speed indicated by its speed symbol under specified service conditions up to 210 km/h.

Loadindex-(kg)								
70-335	80-450	90-600	100-800	110-1060	120-1400	130-1900	140-2500	150-3350
71-345	81-462	91-615	101-825	111-1090	121-1450	131-1950	141-2575	151-3450
72-355	82-475	92-630	102-850	112-1120	122-1500	132-2000	142-2650	152-3550
73-363	83-487	93-650	103-875	113-1150	123-1550	133-2060	143-2725	153-3650
74-375	84-500	94-670	104-900	114-1180	124-1600	134-2120	144-2800	154-3750
75-387	85-515	95-690	105-925	115-1215	125-1650	135-2180	145-2900	155-3875
76-400	86-530	96-710	106-950	116-1250	126-1700	136-2240	146-3000	156-4000
77-412	87-545	97-730	107-975	117-1285	127-1750	137-2300	147-3075	157-4125
78-425	88-560	98-750	108-1000	118-1320	128-1800	138-2360	148-3150	158-4250
79-437	89-580	99-775	109-1030	119-1360	129-1850	139-2430	149-3250	159-4375
								160-4500
								161-4625


Speed symbols represent the following speed categories:

**Table 10-1-5. Speed symbols**

Speed symbol – Speed category (km/h)							
A1 – 5	A5 – 25	B – 50	F – 80	L – 120	Q – 160	U – 160	Y – 300
A2 – 10	A6 – 30	C – 60	G – 90	M – 130	R – 170	H – 210	ZR – over 240
A3 – 15	A7 – 35	D – 65	J – 100	N – 140	S – 180	V – 240	
A4 – 20	A8 – 40	E – 70	K – 110	P – 150	T – 190	W – 270	

**Figure 10-1-1. Approved tyre standard markings**

The following standard markings may assist in determining compliance with approved standards.



<sup>1</sup> The DOT marking may appear below the rest of the marking.

**Figure 10-1-2. Identifying tyre markings**

The following diagram and tables help identify and explain tyre markings.




Figure 10-1-3. Common space-saver tyre labels



**Note:** these are labels that were previously approved by the NZTA. Labels no longer need NZTA approval, so other labels are acceptable provided they contain the required safety instructions printed clearly in English.

## Summary of legislation

### Applicable legislation

- [Land Transport Rule: Tyres and Wheels Amendment 2005](#)

### Mandatory equipment

1. Vehicles, tyres and wheels must comply with the requirements relating to mandatory equipment set out in the [VIRM: In-service certification, section 10-1](#)

### Compliance with approved standards

2. The following new tyres (Note 2) must comply with one or more of the new tyre standards in Table 10-1-1, except if one or more of Notes 3 to 6 apply:

- tyres manufactured on or after 1 October 2002 that are fitted to vehicles of class LC, LD, LE1, LE2, TA and TB (Note 6)
- tyres manufactured on or after 1 January 1992 that are fitted to vehicles of class MA, MB, MC, MD1, MD2 and NA

c) tyres manufactured on or after 1 October 2004 that are fitted to vehicles of class MD3, MD4, ME, NB, NC, TC and TD.

3. The following retreaded tyres must comply with one or more of the retread tyre standards in Table 10-1-2, except if any of Notes 3 to 6 apply:

a) tyres retreaded on or after 1 October 2002 that are fitted to vehicles of class TA and TB

b) tyres retreaded on or after 1 January 1995 that are fitted to vehicles of class MA, MB, MC, MD1, MD2 and NA

c) tyres retreaded on or after 1 October 2004 that are fitted to vehicles of class MD3, MD4, ME, NB, NC, TC and TD.

4. Temporary-use spare tyres manufactured on or after 1 October 2002 must comply with one or more of the temporary-use spare tyre standards in Table 10-1-3

### **Condition and modification**

5. Tyres and wheels must comply with the requirements relating to condition and modification set out in the [VIRM: In-service certification, section 10-1](#)

Page updated 1 April 2026 (see [details](#))

## **10-2 Hubs and axles**

Vehicles must comply with the requirements relating to condition, performance and modification set out in:

- [VIRM: In-service certification, section 10-2, general vehicles](#)
- [VIRM: In-service certification, section 10-2, heavy vehicles](#)

There are no additional requirements in respect of hubs and axles for the inspection and certification of vehicles for entry into service.

## **10-3 Mudguards**

Vehicles must comply with the requirements relating to mandatory equipment and condition set out in:

- [VIRM: In-service certification, section 10-3, general vehicles](#)
- [VIRM: In-service certification, section 10-3, heavy vehicles](#)

There are no additional requirements in respect of mudguards for the inspection and certification of vehicles for entry into service.