

Correct as at 25th June 2026. It may be superseded at any time.

Extract taken from: In-service certification (WoF and CoF) > Introduction

Introduction

1 Purpose and scope

The [NZ Transport Agency Waka Kotahi](#) (NZTA) has prepared this manual to assist vehicle inspectors and inspecting organisations achieve correct and consistent standards of in-service vehicle inspection and certification (WoF and CoF).

The purpose of this manual is to enhance the safety of in-service vehicles in New Zealand by conveying to vehicle inspectors and inspecting organisations the conditions of their appointment and the requirements for the inspection and certification of vehicles for operation in service.

The scope of this manual is to set out the statutory requirements for all in-service vehicle inspections. No attempt has been made to give details on how to inspect a vehicle, a matter best addressed by training programmes.

Amendments to this manual will be issued from time to time as inspection requirements change and improvements are made. Details of amendments are available from the [Amendments](#) tab on the horizontal menu. Suggestions for improvement should be made using the feedback button found on every page.

2 Overview of the manual

How is the manual structured?

The manual is divided into ten vehicle-type sections plus technical bulletins and this introduction.

What information is in each part of the manual?

[1. Introduction](#)

The introduction is relevant to all vehicles requiring in-service inspection and certification (WoF and CoF). It explains the duties and responsibilities of the inspecting organisation and vehicle inspector, the inspection and certification process, complaints procedures, inspection premises and equipment, and the appointment of vehicle inspectors and inspecting organisations. It also includes definitions and abbreviations, and sample certification documents. Improvement suggestions can be made by clicking the 'Send us your feedback' button found on every page.

[2. General vehicles \(WoF\)](#)

This section contains the WoF inspection requirements for light vehicles of classes LE that do not have motorcycle controls, MA, MB, MC, MD1 and NA.

Many of these requirements are general requirements applicable to other types and classes of vehicles. They have been copied into other relevant sections as outlined below.

3. Heavy vehicles (CoF)

This section contains the CoF inspection requirements for heavy vehicles of classes NB and NC. They consist of general requirements applicable to all vehicles and additional or replacement requirements that apply specifically to heavy vehicles.

4. Light PSVs (CoF)

This section contains the CoF inspection requirements for light passenger service vehicles (PSVs) of classes LE that do not have motorcycle controls, MA, MB, MC, MD1 and MD2. They consist of general requirements applicable to all vehicles and additional or replacement requirements that apply specifically to light PSVs.

This section also contains the transport service licence (TSL) requirements for light vehicles of the above classes used in a rental service or vehicle recovery service.

5. Heavy PSVs (CoF)

This section contains the CoF inspection requirements for heavy passenger service vehicles (PSVs) of classes MD3, MD4 and ME, and any NB and NC class vehicles used as PSVs. They consist of general requirements applicable to all vehicles, requirements applicable to all heavy vehicles and additional or replacement requirements that apply specifically to heavy PSVs.

6. Motorcycles (WoF and CoF)

This section covers the WoF and CoF inspection requirements for vehicles of classes LC, LD and LE that have motorcycle controls. For CoF, this section also contains additional requirements for these vehicles used in a passenger service or rental service.

7 General trailers (WoF)

This section covers the WoF inspection requirements for light trailers of classes TA and TB. They consist of general requirements applicable to all trailers.

8. Heavy trailers (CoF)

This section covers the CoF inspection requirements for heavy trailers of classes TC and TD. They consist of general requirements applicable to all trailers and additional or replacement requirements that apply specifically to heavy trailers.

9. Forklifts (WoF)

This section contains the WoF inspection requirements for light and heavy forklifts which must meet WoF requirements as far as practicable for their design and type.

10. Tractors (WoF)

This section contains the WoF inspection requirements for light and heavy tractors and self-propelled machines used in agricultural, land management and roading operations.

11. Unclassified vehicles (WoF)

This section contains the WoF inspection requirements for light and heavy unclassified vehicles which must meet WoF requirements as far as practicable for their design and type. It includes heavy vehicles exempt from CoF, all-terrain vehicles (ATVs) and some trailers. It does not include vehicles already covered in the Forklifts and Tractors sections.

12. Technical bulletins (general)

These contain detailed requirements or helpful information which is not appropriate to put into the vehicle sections of the manual. Examples are processes/requirements for seatbelt replacements and jacking points for correctly checking suspension ball joints. These bulletins cover WoF vehicles and vehicles in general.

13. Technical bulletins (CoF)

These bulletins are similar to the Technical bulletins (general), but cover information specific to vehicles operated on a CoF.

'WoF only' inspecting organisations

An inspecting organisation appointed to carry out WoF inspections only will only need to view the general vehicle pages, motorcycle pages, general trailer pages, forklift pages, tractor pages, unclassified vehicle pages and technical bulletin (general) pages.

'CoF only' inspecting organisations

An inspecting organisation appointed to carry out CoF inspections only will need to view the pages for motorcycles, heavy vehicles, light PSVs, heavy PSVs, heavy trailers, technical bulletins (general) and technical bulletins (CoF).

Note that some pages will refer to general vehicles or general trailers pages where appropriate.

'WoF and CoF' inspecting organisations

An inspecting organisation appointed to carry out WoF and CoF inspections will need to view all the WoF and CoF pages. These are the same pages as for 'WoF only', but with additional pages for heavy vehicles, light PSVs, heavy PSVs, heavy trailers and technical bulletins (CoF).

How to use the manual

WoF inspections

- For a WoF inspection on a car, for example, refer only to the general vehicle pages.

CoF inspections

Many CoF requirements are the same as the WoF requirements and have been copied into the relevant CoF sections. Where requirements differ:

- For a light PSV, refer to the light PSV pages and link to the general vehicle pages if so indicated on the light PSV page
- For a heavy truck, refer to the heavy vehicle pages and link to the general vehicle pages if so indicated on the heavy vehicle page
- For a heavy PSV, refer to the heavy PSV pages and link to the heavy vehicle pages and/or the general vehicle pages if so indicated on the heavy PSV page.

Layout of manual pages

For each vehicle component, the inspection requirement pages are generally divided into two tabs, one for reasons for rejection, the other for summary of legislation. These tabs list the requirements under 'mandatory equipment', 'permitted equipment', 'condition', 'performance' and 'modifications' (and 'repairs' for heavy vehicles on a CoF).

The **Reasons for rejection** column specifies the vehicle defects that must result in the vehicle being rejected for a WoF or CoF. The condition and performance reasons for rejection apply to mandatory, permitted, and modified equipment,

unless otherwise stated. NZTA has imposed these requirements in accordance with Land Transport Rule: Vehicle Standards Compliance 2002, section 2.3(1). This column also contains notes for additional guidance, as referred to in the two columns.

The **Summary of legislation** column summarises the legislation that is relevant to in-service inspection and certification.

Many vehicle components have an additional one or two tabs:

- **Tables and images** contain tables and illustrations referred to in the Reasons for rejection and Summary of legislation tabs.
- **Technical information** contains additional relevant information that is not part of the manual, but which may be useful information, such as NZTA pamphlets.

Page amended **1 November 2014** (see [amendment details](#)).

3 Inspection and certification process

Overview – steps in the inspection and certification process

In order to inspect and certify a vehicle for a WoF or CoF the vehicle inspector and inspecting organisation must take the following steps:

1. Know the vehicle inspector's and inspecting organisation's responsibilities.

The legal responsibilities are listed in [section 3.1](#). The vehicle inspector and inspecting organisation must read these and understand them.

2. Identify the vehicle class.

A table of vehicle classes is given in section [section 3.2](#).

3. Identify whether the vehicle requires a WoF or CoF inspection.

[Section 3.3](#) shows a list of vehicles that require a WoF, a list of vehicles that require a CoF and a list of vehicles that do not require a WoF or CoF.

4. Establish whether the vehicle may be inspected for the purposes of issuing a WoF or a CoF.

The vehicle must meet a number of criteria before inspection. These are listed in [section 3.4](#).

5. Establish whether the vehicle complies.

[Section 3.5](#) explains how to use this manual in order to determine the vehicle's compliance with the requirements.

6. Complete the inspection documentation (checksheet).

[Section 3.6](#) explains the requirements for handling and completing checksheets.

7. Record the inspection outcome ('determination').

[Section 3.7](#) explains how to record WoF and CoF inspection results into the NZTA computer system (Vehicle Inspection and Certification (VIC) and LATIS).

8. Issue the WoF label, CoF label, or temporary permit.

[Section 3.8](#) explains the requirements when issuing the WoF label, CoF label, or temporary permit and attaching it to the vehicle.

9. Collect fees.

[Section 3.9](#) lists the requirements for the inspecting organisation when charging and collecting fees.

3.10 Operating a vehicle without a current WoF or CoF.

[Section 3.10](#) explains the vehicle operator's responsibilities when operating a vehicle without a current WoF or CoF.

Page updated 1 November 2024 (see [details](#))

3-1 Duties and responsibilities

3.1.1 General duties and responsibilities

Applicable legislation: [Vehicle Standards Compliance Rule 2002](#) (the Rule).

1. Vehicle inspectors and inspecting organisations [Definitions in the Rule]

Vehicle inspector means an individual appointed by NZTA under 2.2(1) of the Rule to carry out inspection and certification activities in accordance with requirements and conditions imposed by NZTA.

Inspecting organisation means a person or organisation appointed by NZTA under 2.2(1) who is responsible for inspection and certification outcomes.

2. Inspection and certification activities [section 2.1(1) of the Rule]

Only vehicle inspectors and inspecting organisations appointed by NZTA may carry out inspection and certification activities as specified in the [Land Transport Rule: Vehicle Standards Compliance 2002](#).

3. Primary duty [section 2.1(2) of the Rule]

Vehicle inspectors and inspecting organisations must carry out inspection and certification activities competently and diligently and in accordance with the [Land Transport Rule: Vehicle Standards Compliance 2002](#), this manual, the Notice of appointment and the Code of conduct.

4. Inspection and certification activities that can be carried out [section 2.2(2) of the Rule]

Vehicle inspectors and inspecting organisations may carry out only those inspection and certification activities for which NZTA has appointed them.

5. Requirements, conditions, and period of appointment [section 2.3(1) of the Rule]

NZTA may specify the period of appointment for a vehicle inspector and inspecting organisation and may impose requirements and conditions as to the performance of the inspection and certification activities, including the performance of those activities at individual sites.

6. Driver licence

Vehicle inspectors must hold a current driver licence for the vehicles that they are inspecting.

7. Fit and proper person [section 2.3(3) of the Rule]

It is a condition of an appointment that a vehicle inspector or inspecting organisation continues to be fit and proper.

For further information about what it means to be a fit and proper person, refer to the NZTA's [Fit and proper person guidelines](#).

8. Presentation and acceptance of emailed Inspection and certification documents

LT400s, chassis ratings and professional opinions from heavy vehicle specialist certifiers and chassis ratings from NZTA can be presented and accepted using email provided:

- (i) emails are sent directly to the vehicle inspector or inspecting organisation from the heavy vehicle specialist certifier or NZTA, and
- (ii) the electronic copy contains all of the information from the original copy and is clear and legible.

These may be:

- printed and stored, or
- stored electronically, provided:
 - the electronic copy of the document is not changed and is stored in a way that protects the information from being changed (eg saved as a read only file) and
 - the information is readily searchable and accessible if you or NZTA need it.

9. Document retention, Advise incorrect certification, Advise vehicle defects [section 2.3(4) of the Rule]

It is a condition of an appointment that a vehicle inspector or inspecting organisation:

a) keeps all records and associated documents relating to vehicle inspections and certifications (including failed inspections) for a minimum period of 12 months (LT400s and other HVS/engineer certificates indefinitely), and

These may be:

- printed and stored, or
- stored electronically, provided:
 - the electronic copy of the document is not changed and is stored in a way that protects the information from being changed (eg saved as a read only file) and
 - the information is readily searchable and accessible if you or NZTA need it.

b) advises NZTA as soon as practicable if there is a reason to believe that the inspection and certification of a vehicle has been carried out incorrectly, and

c) advises NZTA as soon as practicable of a defect in a manufacturer's production run or quality control process of which the inspector or organisation has become aware that may affect the safety performance of a vehicle that has been inspected and certified.

10. Delegation [section 2.4(1) of the Rule]

A vehicle inspector or inspecting organisation may not delegate any function or power to carry out inspection and certification activities for which they were appointed, except under conditions specified by NZTA in writing.

11. Additional duties and responsibilities of inspecting organisations under the quality management system (QMS) and the Notice of appointment

In addition to requirements specified elsewhere in this manual, an inspecting organisation must comply with the requirements of their QMS and Notice of appointment, including the following:

- a) advise NZTA as soon as possible when a vehicle inspector leaves or joins an inspecting organisation or moves to another site ([Notification of vehicle inspector transfer](#))
- b) manage actual, potential and perceived conflicts of interest (refer to [Information for inspecting organisations](#))
- c) report the loss or theft of controlled documents to the NZ Police and NZTA as soon as possible ([Notification of lost or stolen controlled documents](#))
- d) comply with any NZTA requirements relating to IT systems, including protecting access to the NZTA computer system from unauthorised persons
- e) carry out regular internal performance assessments (at least once a year)
- f) inspect and certify vehicles only at authorised sites unless otherwise permitted
- g) responsible for maintaining technical and administrative competence of vehicle inspectors and other persons carrying out vehicle inspection and certification work
- h) responsible for ensuring vehicle inspectors continue to abide by the Code of Conduct.

3.1.2 Inspection and certification

1. Inspection and certification of vehicles for operation in service [section 7.3(3) of the Rule]

The inspection and certification of a vehicle for operation in service must be carried out in accordance with requirements and conditions imposed by NZTA.

2. Determining compliance of a vehicle [section 7.4(1) of the Rule]

A vehicle is certified for in-service based on the condition of the vehicle at the time of the inspection.

A vehicle may be certified for operation in-service only if a vehicle inspector or inspecting organisation has identified the vehicle and has determined, on reasonable grounds, that the vehicle meets all of the following:

- a) it is safe to be operated under normal conditions of use, and
- b) it has been designed and constructed using components and materials that are fit for their purpose, and is within safe tolerance of its state when manufactured or modified, and
- c) it complies with the applicable requirements (all of which are contained within this manual), and
- d) it has undergone specialist inspection and certification as required by paragraphs 4, 5, and 6 below and the specific aspects of the vehicle have been certified.

3. Information to take into account when determining compliance of a vehicle [section 7.4(3) of the Rule]

A vehicle inspector or inspecting organisation, in making a determination, must take into account:

- a) information obtained from inspecting the vehicle and associated documents, and

b) additional relevant information, if any, about the vehicle issued by a manufacturer, modifier, repairer, or other relevant person of which the inspector or organisation is aware.

4. Low volume vehicle specialist certification [section 7.5(1)(a) of the Rule]

Low volume vehicle (LVV) specialist inspection and certification is required prior to inspection and certification for in-service, if the vehicle is a light vehicle that, since it was last certified for operation in-service or last certified as a low volume vehicle, has been modified so as to affect its compliance with an applicable requirement (Note 1).

5. Heavy vehicle specialist certification [section 7.5(1)(b) of the Rule]

Heavy vehicle specialist (HVS) inspection and certification is required prior to inspection and certification for in service, if the vehicle is a heavy vehicle that, since it was last certified for operation in service or last certified for modification, has been modified so as to affect its compliance with an applicable requirement, including modifications to its chassis, brakes, log bolster attachments, towing connections or load anchorages.

6. Other specialist certification [section 7.5(1)(c) of the Rule]

Other specialist inspection and certification is required in accordance with an applicable requirement or as required by NZTA, all of which are contained within this manual.

7. Modified vehicles not requiring specialist certification [section 7.5(3) of the Rule]

Low volume vehicle (LVV) specialist inspection and certification or heavy vehicle specialist (HVS) inspection and certification is not required if a modified vehicle is:

- a) excluded in this manual from the requirement for LVV or HVS certification and meets the inspection requirements in this manual, including those for equipment, condition, and performance, or
- b) modified for the purposes of law enforcement or the provision of emergency services.

Note that this only covers the modifications for the specialised functions of the vehicle. Other modifications that affect compliance are subject to certification.

Note 1

Modifications not requiring LVV certification

All modifications must meet WoF or CoF requirements. However, not every modification requires LVV certification.

A modified light vehicle may or may not be required to undergo LVV certification, depending on the level of modification. Typical modifications that are made to vehicle components and systems are listed in tables, and identify:

- a) those modifications that do not require LVV certification unless they exceed a certain level. Where modifications exceed those listed in the table, a WoF or CoF provider must not issue a WoF or CoF for the vehicle until LVV certification has been issued
- b) those modifications that have been certified to an accepted overseas system as shown in [Technical bulletin 13](#)
- c) those lower levels of modification that are never required to be LVV certified.

For most modifications, the introduction date for the requirement for LVV certification is 1 March 1999, which was the date that the Compliance Rule came into force. In addition, LVV certification was required for some items under the Transport (Vehicle Standards) Regulations 1990. In particular LVV certification is required for:

- a) a modification after 1 January 1992 that affected compliance with a brake standard on a class MA vehicle, or after 1 January 1993 on a vehicle of class MB, MC or NA.
- b) a modification after 1 January 1992 that affected a seatbelt anchorage standard on a passenger vehicle with up to nine seats, that is class MA, MB or MC.
- c) a modification after 1 January 1992 that affected compliance with a standard for door locks and hinges, steering column impact or interior impact on a class MA vehicle.

If a modification was carried out prior to LVV certification coming into force, a valid modification declaration must be produced. The vehicle inspector may also accept other authentic evidence to verify that the modifications were carried out prior to LVV certification coming into force. Examples are an invoice from the company that carried out the modification, insurance policy cover notes and motoring magazine features provided they record the vehicle's registration number or VIN, the modification details and a date or other information verifying when the modifications were carried out. Documents such as statements from previous owners are not acceptable.

Where the information on the modification declaration (other than the plate number) differs from the vehicle, the vehicle must be failed and sent to an appropriate LVV certifier. For example, if the vehicle has been further modified or the declaration date is incorrect for the vehicle or the modifications. See [sample modification declaration](#) for information on modification declarations).

Note 2

Confirming LVV certification

Modifications can be confirmed as certified under the LVV Code by the following means:

- a) LVV certification plate (see [Figure 8-1-1](#)) or electronic data plate (see [Figure 8-1-7](#)) riveted and glued to the vehicle in any one of the following positions:
 - i. within the engine compartment in a clearly visible position, or
 - ii. where there is insufficient available space within the engine compartment to enable the LVV certification plate to be fitted and remain clearly visible, in any one of the following locations:
 1. within the passenger compartment on the vehicle's A-pillar or B-pillar, or
 2. in the case of a sedan, on the rear bulkhead or other prominent position within the boot area, or
 3. in the case of a van with an engine cover in the passenger compartment, on a non-removable panel steel part of the engine cover or seat frame, or
 4. in the case of a vehicle with a raised floor, on the vertical area of a step behind a door, or
 5. in the case of a hatchback or station wagon, in the spare wheel well which is accessible without the use of tools.
- b) LVV authority card, linking listed vehicle modifications to the special requirements of one person.

Where a vehicle is presented with an LVV certification plate or electronic data plate affixed in an approved position, the vehicle inspector or inspecting organisation must confirm the modifications recorded on the plate match the modifications on the vehicle they are inspecting by the means described below.

How to confirm modifications for a vehicle with an LVV certification plate

1. Match the vehicle identifier and modifications engraved on the LVV certification plate with the vehicle identifier and modifications present on the vehicle they are inspecting.

AND

2. Look up the LVV certification plate on the LVVTA website (www.lvvta.org.nz) and confirm the plate is valid, and that the identifier and modifications presented on the look up result match the vehicle, certification plate, and modifications present on the vehicle.

How to confirm modifications for a vehicle with an LVV electronic data plate

- Scan the electronic data plate with an NFC reader and confirm that the identifier and modifications presented on the vehicle (including photos) match the vehicle, and modifications present on the vehicle.

OR

- Look up the LVV electronic data plate on the LVVTA website (www.lvvta.org.nz) and confirm that the identifier and modifications presented on the vehicle (including photos) match the vehicle, and modifications present on the vehicle.

Inspecting organisations and vehicle inspectors with LATIS access may also use the IVCERT screen in LANDATA to provide additional confirmation. See the [LATIS manual](#) for instructions on how to do this.

If the LVV certification plate or electronic data plate cannot be found on the LVVTA website look up or, in the case of electronic data plates, an NFC reader is unable to read it, the vehicle must be failed until information is obtained confirming the plate is valid, the modifications have been certified, and that the modifications match the vehicle.

All enquiries about the LVV process, LVV certifier locations and the issuing of LVV certification plates should be directed to NZTA (0800 587 287) or LVVTA (04 238 4343).

Note 3

Information on an LVV certification plate or electronic data plate differs from the vehicle

Where the information on the LVV plate (other than the vehicle's registration plate or due to the temporary removal of seats) differs from the vehicle, for example where a vehicle has been further modified or returned to original, the vehicle must be failed and sent to an appropriate LVV certifier:

- a) where the vehicle has been further modified or partially returned to the original condition, the LVV certifier will inspect and certify the vehicle to ensure the correct details are on the new LVV plate, or
- b) where the vehicle has been fully returned to original, the LVV certifier will confirm that this has been done and remove the LVV plate from the vehicle (only an LVV certifier or delegated NZTA staff can remove an LVV plate).

3.1.3 Revocation of a WoF, CoF, temporary permit, CoL, or record of determination

1. Revocation of evidence of vehicle inspection and conditional permit [section 11.3(1) of the Rule]

NZTA may revoke, by giving written notice to a vehicle's operator, a WoF, CoF, conditional permit or a record of determination issued under the [Land Transport Rule: Vehicle Standards Compliance 2002](#) if NZTA believes, on reasonable grounds, that:

- a) the vehicle does not comply with applicable requirements, or
- b) the WoF, CoF, permit or record of determination was issued on the basis of an incorrect determination.

2. Revocation of certificate of loading [section 11.3(2) of the Rule]

The NZTA may revoke, by giving written notice to a vehicle's operator, a certificate of loading issued for that vehicle under the Land Transport Rule: Vehicle Standards Compliance 2002 if NZTA believes, on reasonable grounds, that the certificate is not valid.

3. Re-inspection and re-certification of a vehicle [section 11.4 of the Rule]

If a WoF, CoF, conditional permit, record of determination or certificate of loading has been revoked, NZTA may require in writing that a vehicle inspector or inspecting organisation:

- a) repeat the inspection and certification of the vehicle, and
- b) issue, if appropriate, a WoF, CoF, permit, record of determination or other evidence, and
- c) meet the costs of the activities undertaken under (a) and (b).

3.1.4 Vehicles ordered off the road (green and pink stickers) [[Land Transport Act 1998: section 115 and section 96](#)]

A green sticker, which directs that the vehicle is not to be driven on a road, may be issued to the driver or owner of a vehicle by an enforcement officer who believes on reasonable grounds that a vehicle does not comply with the provisions of the regulations or rules, or that a vehicle was operated with unnecessary exhibition of speed or acceleration or sustained loss of traction. At the discretion of the enforcement officer, the green sticker notice will remain in force until:

- a) the vehicle has been inspected and a new WoF or CoF has been issued, or
- b) the enforcement officer has been notified in writing that the vehicle is now compliant (this type of green sticker is often referred to as 'discretionary green sticker' or 'G2 sticker'). A new WoF or CoF is not required, however, instead of notifying the enforcement officer in writing, the vehicle driver/owner may choose to obtain a new WoF or CoF, which will automatically remove the flag from the NZ Police system.

A pink sticker, which directs that the vehicle is not to be driven on a road, may be issued to the driver or owner of a vehicle by an enforcement officer who believes on reasonable grounds that a vehicle is not in a safe condition to be driven on a road. A pink sticker will remain in force until the vehicle has been inspected and a new WoF or CoF has been issued.

Where a light vehicle has been ordered off the road by an enforcement officer for non-compliant exhaust noise, the vehicle must pass an LVVTA objective noise test before the vehicle may be issued with a new WoF or CoF – even if the vehicle is presented with a quieter or original exhaust system or with a previous LVV noise certification. Due to this requirement, for each green- or pink-stickered light vehicle presented for WoF or CoF and before issuing a new WoF or CoF, the vehicle inspector must check (usually by sighting the ordering-off-the-road notice or Landata):

- a) whether the vehicle was ordered off the road for non-compliant exhaust noise, and
- b) if (a) applies, that a valid LVVTA objective exhaust noise emissions test certificate was issued for the vehicle after the date the ordering off the road notice was issued.

A vehicle that has been green or pink stickered can only be inspected by a vehicle inspector who is employed with an inspecting organisation that does not engage in the repair of vehicles in the course of their business (other than replacing bulbs or wiper blades). This generally includes [VTNZ](#), [VINZ](#), [NZAA](#) and some independent testing stations. A new WoF or CoF must be issued by the inspecting organisation before the vehicle is permitted to be used on the road. Once the new WoF or CoF has been issued, the vehicle inspector removes the green or pink sticker. The flag is automatically removed from the NZ Police system.

3.1.5 Performance review

1. The NZTA may monitor and review performance [section 3.1(1) of the Rule]

The NZTA may monitor and review the performance of a vehicle inspector or inspecting organisation in complying with the requirements and conditions imposed by NZTA, including the performance of inspection and certification activities at individual sites.

The requirements and conditions are contained in this manual, the Notice of appointment and the Transport Agency's Quality Management System (QMS) requirements.

2. Providing information to NZTA [section 3.1(2) & (3) of the Rule]

In monitoring and reviewing performance, NZTA may require a vehicle inspector or inspecting organisation to undergo such monitoring and review and provide such information as NZTA reasonably considers relevant. A vehicle inspector or inspecting organisation must comply with a requirement from NZTA.

3. Costs of monitoring and review [section 3.1(4) of the Rule]

A vehicle inspector or inspecting organisation must bear the costs of the monitoring and reviewing of their performance in accordance with any prescribed fee.

Any non-payment of the required fees may result in suspension of the appointment until full payment is received.

3.1.6 Investigations

1. Investigations [section 3.2(1) of the Rule]

If NZTA has reason to believe that a vehicle inspector or inspecting organisation has failed to comply with any of the conditions of their appointment (including the Notice of appointment and Code of conduct), or has failed to comply with the [Land Transport Rule: Vehicle Standards Compliance 2002](#) (the Rule) or with this manual, NZTA may require the inspector or organisation to undergo such an investigation and to provide such information as NZTA reasonably considers appropriate.

2. Notification of action (suspension or revocation, but not immediate suspension or imposition of conditions) [section 3.2(3) of the Rule]

Following an investigation and before carrying out action, NZTA must notify the vehicle inspector or inspecting organisation in writing of:

- a) the action that is being considered, and
- b) the reasons for the action that is being considered, and
- c) the date by which submissions may be made to NZTA in respect of the action that is being considered, which must be at least 21 days after the notice is given, and
- d) where appropriate, the date on which the action that is being considered will take effect, which, unless NZTA determines otherwise, must be at least 28 days after the notice is given.

3. Responding to a notification of action [section 3.2(5) of the Rule]

If a vehicle inspector or inspecting organisation is notified as above, they must ensure that all information that they wish NZTA to consider in relation to the action that is being considered is received by NZTA within the period specified in the notice or within any further period that NZTA may allow.

4. NZTA must consider submissions [section 3.2(6) of the Rule]

NZTA must consider the submissions made and information supplied, and must:

- a) decide whether or not to take the action that is being considered, and
- b) as soon as is practicable, provide written notification to the vehicle inspector or inspecting organisation of:
 - i. the NZTA decision, and
 - ii. if appropriate, the date on which the action is to take effect, and
 - iii. if appropriate, the right of appeal under section 106 of the [Land Transport Act 1998](#).

5. Remedial action, suspension, revocation [section 3.2(2) of the Rule]

If, following an investigation, NZTA is satisfied that the vehicle inspector or inspecting organisation has failed to comply with any of the conditions of their appointment (including the Notice of appointment and Code of conduct), or failed to comply with the Rule or this manual, NZTA may do one or more of the following:

- a) require that remedial action, such as training, be undertaken by the inspector or organisation
- b) suspend the whole or any part of the appointment of the inspector or organisation for a specified period or until specified conditions are met
- c) revoke the whole or any part of the appointment of the inspector or organisation.

6. Immediate suspension or imposing of conditions [section 3.3(1) of the Rule]

If NZTA has reason to believe that a vehicle inspector or inspecting organisation has failed to comply with a condition of their appointment (including the Notice of appointment and Code of conduct) or with the Rule or this manual, and that this presents a significant risk to land transport safety, NZTA may suspend, with immediate effect, the whole or any part of the appointment, or impose any conditions on the appointment.

7. Notification of immediate suspension or imposing of conditions [section 3.3(2) of the Rule]

Where NZTA suspends the whole or any part of an appointment, or imposes conditions on the appointment, NZTA must notify the vehicle inspector or inspecting organisation in writing of:

- a) the grounds for the suspension or imposing of conditions
- b) the fact that the inspector or organisation may make submissions to NZTA
- c) the right of appeal under section 106 of the [Land Transport Act 1998](#).

8. NZTA must consider submissions following immediate suspension or imposition of conditions [section 3.3(3) of the Rule]

NZTA must, as soon as is practicable, consider any submission made and notify the inspector or inspecting organisation in writing of the result of any such consideration.

9. Duration of immediate suspension or imposing of conditions [section 3.3(5) of the Rule]

A suspension or condition imposed remains in force until NZTA has determined the action to be taken and that action has been taken.

10. Withdrawal of immediate suspension or imposing of conditions [section 3.3(4) of the Rule]

NZTA may at any time withdraw a suspension or condition imposed.

11. Right of appeal [section 3.3(6) of the Rule]

A vehicle inspector or inspecting organisation may appeal under section 106 of the [Land Transport Act 1998](#) against a decision by NZTA to immediately suspend or impose conditions.

12. Costs of investigations [section 3.2(7) of the Rule]

NZTA may require a vehicle inspector or inspecting organisation to bear the costs associated with an investigation or remedial action in accordance with any prescribed fee.

13. Obligation to comply [section 3.2(8) of the Rule]

A vehicle inspector or inspecting organisation must comply with a requirement of NZTA in relation to paragraphs 1, 5, and 12.

Page amended **4 November 2025** (see [amendment details](#)).

3-2 Identifying the vehicle class

The table of vehicle classes - Table 3-2-1, and the charts in Figure 3-2-1 (four-wheeled vehicles), Figure 3-2-2 (three-wheeled vehicles), Figure 3-2-3 (two-wheeled vehicles) and Figure 3-2-4 (trailers) identify the class of the vehicle that is to be inspected.

Confirm that the vehicle inspector and inspecting organisation have been appointed by the NZTA for the purpose of inspecting and certifying vehicles for a WoF or CoF specific to the class of vehicle that has been presented.

Table 3-2-1. Vehicle equipment standards classifications


Class	Description
<p>AA (Pedal cycle)</p>	<p>A vehicle designed to be propelled through a mechanism solely by human power.</p>
<p>AB (Power-assisted pedal cycle)</p>	<p>A pedal cycle to which is attached one or more auxiliary propulsion motors having a combined maximum power output not exceeding 300 watts.</p> <p>For further information visit the Transport Agency website's Low powered vehicles page.</p>
<p>LA (Moped with two wheels)*</p>	<p>A motor vehicle (other than a power-assisted pedal cycle) that:</p> <ul style="list-style-type: none"> • has two wheels; and • either: <ul style="list-style-type: none"> ○ has an engine cylinder capacity not exceeding 50ml and a maximum speed not exceeding 50km/h; or ○ has a power source other than a piston engine and a maximum speed not exceeding 50km/h.
<p>LB (Moped with three wheels)</p>	<p>A motor vehicle (other than a power-assisted pedal cycle) that:</p> <ul style="list-style-type: none"> • has three wheels; and • either: <ul style="list-style-type: none"> ○ has an engine cylinder capacity not exceeding 50ml and a maximum speed not exceeding 50km/h; or ○ has a power source other than a piston engine and a maximum speed not exceeding 50km/h. <p>An LB 1 motor vehicle has one wheel at the front and two wheels at the rear. An LB 2 motor vehicle has two wheels at the front and one wheel at the rear.</p>
<p>LC (Motorcycle)</p>	<p>A motor vehicle that:</p> <ul style="list-style-type: none"> • has two wheels; and • either: <ul style="list-style-type: none"> ○ has an engine cylinder capacity exceeding 50ml; or ○ has a maximum speed exceeding 50km/h.
<p>LD (Motorcycle and side-car)</p>	<p>A motor vehicle that:</p> <ul style="list-style-type: none"> • has three wheels asymmetrically arranged in relation to the longitudinal median axis; and • either: <ul style="list-style-type: none"> ○ has an engine cylinder capacity exceeding 50ml; or ○ has a maximum speed exceeding 50km/h.

Class	Description
Side-car	A car, box or other receptacle attached to the side of a motorcycle and supported by a wheel.
LE (Motor tri-cycle)	<p>A motor vehicle that:</p> <ul style="list-style-type: none"> • has three wheels symmetrically arranged in relation to the longitudinal median axis; and • has a gross vehicle mass not exceeding one tonne; and • either: <ul style="list-style-type: none"> ◦ has an engine cylinder capacity exceeding 50ml; or ◦ has a maximum speed exceeding 50km/h. <p>An LE 1 motor vehicle has one wheel at the front and two wheels at the rear. An LE 2 motor vehicle has two wheels at the front and one wheel at the rear.</p>
Passenger vehicle	<p>A motor vehicle that:</p> <ul style="list-style-type: none"> • is constructed primarily for the carriage of passengers; and • either: <ul style="list-style-type: none"> ◦ has at least four wheels; or ◦ has three wheels and a gross vehicle mass exceeding one tonne.
MA (Passenger car)	A passenger vehicle (other than a class MB or class MC vehicle) that has not more than nine seating positions (including the driver's seating position).
MB (Forward control passenger vehicle)	<p>A passenger vehicle (other than a class MC vehicle):</p> <ul style="list-style-type: none"> • that has not more than nine seating positions (including the driver's seating position); and • in which the centre of the steering wheel is in the forward quarter of the vehicle's total length.
MC (Off-road passenger vehicle)	<p>A passenger vehicle, designed with special features for off-road operation, that has not more than nine seating positions (including the driver's seating position), and that:</p> <ul style="list-style-type: none"> • has four-wheel drive; and • has at least four of the following characteristics when the vehicle is unladen on a level surface and the front wheels are parallel to the vehicle's longitudinal centre-line and the tyres are inflated to the vehicle manufacturer's recommended pressure: <ul style="list-style-type: none"> ◦ an approach angle of not less than 28 degrees; ◦ a breakover angle of not less than 14 degrees; ◦ a departure angle of not less than 20 degrees; ◦ a running clearance of not less than 200mm; ◦ a front-axle clearance, rear-axle clearance or suspension clearance of not less than 175mm.

Class	Description
Omnibus	A passenger vehicle that has more than nine seating positions (including the driver's seating position). An omnibus comprising two or more non-separable but articulated units shall be considered as a single vehicle.
MD (Light omnibus)	An omnibus that has a gross vehicle mass not exceeding 5 tonnes.
MD 1	An omnibus that has a gross vehicle mass not exceeding 3.5 tonnes and not more than 12 seats.
MD 2	An omnibus that has a gross vehicle mass not exceeding 3.5 tonnes and more than 12 seats.
MD 3	An omnibus that has a gross vehicle mass exceeding 3.5 tonnes but not exceeding 4.5 tonnes.
MD 4	An omnibus that has a gross vehicle mass exceeding 4.5 tonnes but not exceeding 5 tonnes.
ME (Heavy omnibus)	An omnibus that has a gross vehicle mass exceeding 5 tonnes.
Goods vehicle	<p>A motor vehicle that:</p> <ul style="list-style-type: none"> • is constructed primarily for the carriage of goods; and • either: <ul style="list-style-type: none"> ◦ has at least four wheels; or ◦ has three wheels and a gross vehicle mass exceeding one tonne. <p>For the purpose of this description:</p> <ul style="list-style-type: none"> • a vehicle that is constructed for both the carriage of goods and passengers shall be considered primarily for the carriage of goods if the number of seating positions multiplied by 68kg is less than 50 percent of the difference between the gross vehicle mass and the unladen mass • the equipment and installations carried on special purpose vehicles not designed for the carriage of passengers shall be considered to be goods • a goods vehicle that has two or more non-separable but articulated units shall be considered to be a single vehicle.
NA (Light goods vehicle)	A goods vehicle that has a gross vehicle mass not exceeding 3.5 tonnes.


Class	Description
NB (Medium goods vehicle)	A goods vehicle that has a gross vehicle mass exceeding 3.5 tonnes but not exceeding 12 tonnes.
NC (Heavy goods vehicle)	A goods vehicle that has a gross vehicle mass exceeding 12 tonnes.
Trailer	A vehicle without motive power that is constructed for the purpose of being drawn behind a motor vehicle.
TA (Very light trailer)	A single-axled trailer that has a gross vehicle mass not exceeding 0.75 tonnes.
TB (Light trailer)	A trailer (other than a class TA trailer) that has a gross vehicle mass not exceeding 3.5 tonnes.
TC (Medium trailer)	A trailer that has a gross vehicle mass exceeding 3.5 tonnes but not exceeding 10 tonnes.
TD (Heavy trailer)	A trailer that has a gross vehicle mass exceeding 10 tonnes.

Figure 3-2-1. Vehicle class logic chart – four-wheeled vehicles



- [Download Figure 3-2-1. Vehicle class logic chart – four-wheeled vehicles](#) (PDF)

Figure 3-2-2. Vehicle class logic chart – three-wheeled vehicles




Note for classes LB and LE:

- Where the vehicle has one wheel at the front and two at the rear, the class has the suffix '1', ie, LB1 or LE1.
- Where the vehicle has two wheels at the front and one at the rear, the class has the suffix '2', ie, LB2 or LE2.


- [Download Figure 3-2-2. Vehicle class logic chart – three-wheeled vehicles](#) (PDF | 303KB)

Figure 3-2-3. Vehicle class logic chart – two-wheeled vehicles



- [Download Figure 2-2-3 Vehicle class logic chart – two-wheeled vehicles](#) (PDF | 336KB)

Figure 3-2-4. Vehicle class logic chart – trailers



- [Download 3-2-4. Vehicle class logic chart – trailers](#) (PDF | 309KB)

3-3 Establishing whether the vehicle requires a WoF or CoF

The lists below show the type of inspection and certification (WoF or CoF) that is required for the different types of vehicles.

3.3.1 Certificate of Fitness (CoF)

(see Note 1)

A CoF is required for the following vehicles:

- Heavy vehicles, other than those listed under WoF below.
- Passenger service vehicles (including MD2 vehicles), other than those listed under WoF below.
- Rental service vehicles (except light rental trailers – these only require a WoF).
- Vehicle recovery service vehicles.

3.3.2 Warrant of Fitness (WoF)

A WoF is required for the following vehicles:

1. Vehicles that are not listed under certificate of fitness (section 3.3.1) or that are not listed as a vehicle not requiring a WoF or CoF (section 3.3.3).
2. Tractors (other than [agricultural tractors](#)), or machines used solely in non-agricultural, land management or roading operations, whether for traction or otherwise, that are operated at a speed exceeding 30km/h.
3. Class MA, MB or MC vehicles that, in the carriage of passengers for hire or reward:
 - a) are used solely for transporting not more than seven schoolchildren, and
 - b) do not exceed the designed adult passenger capacity of the vehicle by more than two schoolchildren.
4. Vehicles that are lawfully affixed with and operated under the authority of trade plates.
5. Vehicles used by the New Zealand Defence Force that are being used to convey persons who would otherwise use public transport during a period in which any public transport in New Zealand is suspended.
6. Motor caravans that:
 - a) have an original manufacturer's rating of 3750kg or less, and
 - b) were registered in New Zealand as motor caravans before 1 January 1992.
7. Vehicles that are used on a public highway only in connection with the inspection, servicing or repair of the vehicle or for the purpose of allowing any person to sit a practical driving test in that vehicle.
8. Vehicles used on roads only in road construction zones in accordance with notices declaring those zones.
9. Vehicles that are used on a road only when crossing or proceeding along a section of the road where the vehicles have been authorised to operate by an authorisation of a road-controlling authority that requires:
 - a) a written agreement by the vehicle's operator or the person for whom the vehicle is being operated, to construct, reconstruct, maintain or restore to the satisfaction of the road-controlling authority all or part of the road used by the vehicle, and
 - b) the erection and maintenance of warning devices, signs or control devices as required by the road-controlling authority and the NZTA, and

c) where the use of the road does not consist solely of the direct crossing of the road, the prior approval of the NZTA.

10. Light rental trailers.

11. Motor vehicles designed exclusively or principally as part of the armament of the New Zealand Defence Force.

12. The vehicles listed in the table below - these vehicles require a WoF only as far as is practicable for their design or type:

a) vehicles propelled and supported solely by self-laying tracks
b) motor vehicles exclusively designed and used on a road for driving, carrying or propelling any of the following, which must be permanently attached to the vehicle: <ul style="list-style-type: none">i. aerodrome runway sweepersii. electrical substationsiii. filters for transformer oiliv. log haulers that are stationary when hauling logsv. aeroengine test benches
c) tractors owned by a local authority and used exclusively for the construction, maintenance or mowing of stopbanks and the banks of rivers, streams, drains, canals or other watercourses
d) mobile or movable huts, galleys or similar vehicles that are used on a road solely in connection with the construction or maintenance of roads
e) tractors used exclusively for shunting railway rolling stock
f) forklifts
g) aerodrome crash fire tenders that are used on a road only in emergencies
h) trailers while being drawn by a vehicle as stated in (b) to (g) above
i) motor vehicles used exclusively in connection with the embarking and disembarking of ships' passengers or for loading and unloading ships' mails, cargo and passengers' baggage, and used on a public highway only when proceeding unladen from one wharf to another wharf or from their usual place of storage to a wharf and returning to that place of storage
j) cable jinkers
k) front-end loaders
l) log skidders
m) tractor cranes

n) rough-terrain cranes

o) mobile crushing and screening plant machines which are mounted on trailers

p) motor graders

q) motor scrapers

r) trailer scrapers

s) plant for servicing oil-filled cables

t) post debarkers

u) saw bench apparatus

v) forestry chippers (designed and used exclusively in the operation or management of a forest)

w) tree feller bunchers

x) trench diggers and excavators

y) vehicles that are always used unladen on the road and that are designed exclusively for carrying earth or other bulk materials

z) mobile concrete mixers that are mounted on tractors

aa) a vehicle that is similar in design, construction or purpose to a vehicle listed above that cannot be categorised by vehicle class.

bb) an **agricultural motor vehicle** that is operated at a speed exceeding 40km/h.

cc) all-terrain vehicles (other than those listed in **3.3.3 Vehicles that do not require a WoF or CoF**).

3.3.3 Vehicles that do not require a WoF or CoF

The vehicles listed in the table below do not require a WoF or CoF:

a) a vehicle of class AB, LA or LB
b) an armoured vehicle used exclusively as equipment of the New Zealand Defence Force
c) a traction engine
d) a mechanically propelled roller
e) a crane fitted with self-laying tracks
f) an excavator fitted with self-laying tracks
g) a tractor (other than an agricultural tractor), or a machine used solely in non-agricultural, land management or roading operations, whether for traction or otherwise, that is not operated at a speed exceeding 30km/h, together with any trailer operated only while being towed by that tractor or machine
h) a trailer designed exclusively for agricultural purposes and not operated except when being: <ul style="list-style-type: none">i. delivered from a manufacturer to the manufacturer's agent, orii. taken to or from an agricultural show for display or demonstration purposes, oriii. delivered from a manufacturer or a manufacturer's agent to a farm or an agricultural contractoriv. proceeding to or from a farm, orv. when being inspected, serviced or repaired.
i) a vehicle normally propelled by mechanical power while it is being temporarily towed without the use of its own power
j) an all-terrain vehicle used: <ul style="list-style-type: none">i. in moving from the operator's place of residence to a road that is not a public highway, when the distance travelled is less than 3km, orii. in connection with its inspection, servicing or repair, oriii. as an agricultural vehicle.
k) an agricultural motor vehicle that is operated at a speed not exceeding 40km/h.
(l) a motor vehicle operated in circumstances where there is a defence to unregistered and unlicensed operation under the Land Transport (Motor Vehicle Registration and Licensing) Regulations 2011

Note 1

A vehicle that does not require inspection for regular use still does not need inspection if operated in a transport service (eg rental mopeds).

Page updated **21 August 2024** (see [details](#)).

3-4 Establishing whether the vehicle may be inspected for a WoF or CoF

Before a vehicle can be inspected for the purpose of issuing a WoF or CoF, it must meet one of the following requirements:

The vehicle is currently registered

The Vehicle Inspection and Certification (VIC) or LATIS system will validate this when the inspection is entered.

The vehicle is unregistered but has been certified for entry or re-entry into service within the last two years

The Vehicle Inspection and Certification (VIC) or LATIS system will validate this when the inspection is entered. The inspection must be entered using the VIN.

The vehicle is unregistered and listed in the table below

These do not require certification for entry or re-entry into service. These will need to be treated as an online transaction.

a) class TA or TB trailers
b) tractors (other than agricultural tractors) or machines, including trailers, for use solely in non-agricultural, land management or roading operations, whether for traction or otherwise that are operated at a speed exceeding 30km/h
c) pedestrian-controlled goods service vehicles
d) vehicles used on roads only in road construction zones in accordance with notices declaring those zones
e) vehicles that are used on a road only when crossing or proceeding along a section of the road where the vehicles have been authorised to operate by an authorisation of a road-controlling authority that requires: i. a written agreement by the vehicle's operator or the person for whom the vehicle is being operated, to construct, reconstruct, maintain or restore to the satisfaction of the road-controlling authority all or part of the road used by the vehicle, and ii. the erection and maintenance of warning devices, signs or control devices as required by the road-controlling authority and the NZTA, and iii. where the use of the road does not consist solely of the direct crossing of the road, the prior approval of the NZTA
f) all-terrain vehicles
g) motor vehicles exclusively designed and used on a road for driving, carrying or propelling any of the following, which must be permanently attached to the vehicle: i. aerodrome runway sweepers ii. electrical substations iii. filters for transformer oil iv. log haulers that are stationary when hauling logs v. aeroengine test benches
h) tractors owned by a local authority and used exclusively for the construction, maintenance or mowing of stopbanks and the banks of rivers, streams, drains, canals or other watercourses
i) mobile or movable huts, galleys or similar vehicles that are used on a road solely in connection with the construction or maintenance of roads
j) tractors used exclusively for shunting railway rolling stock

k) forklifts

l) aerodrome crash fire tenders that are used on a road only in emergencies

m) trailers while being drawn by a vehicle as stated in (b) to (l) above

n) motor vehicles used exclusively in connection with the embarking and disembarking of ships' passengers or for loading and unloading ships' mails, cargo and passengers' baggage, and used on a public highway only when proceeding unladen from one wharf to another wharf or from their usual place of storage to a wharf and returning to that place of storage

o) cable jinkers

p) front-end loaders

q) log skidders

r) tractor cranes

s) rough-terrain cranes

t) mobile crushing and screening plant machines which are mounted on trailers

u) motor graders

v) motor scrapers

w) trailer scrapers

x) plant for servicing oil-filled cables

y) post debarkers

z) saw bench apparatus

aa) forestry chippers

bb) tree feller bunchers

cc) trench diggers and excavators

dd) vehicles that are always used unladen on the road and that are designed exclusively for carrying earth or other bulk materials

ee) mobile concrete mixers that are mounted on tractors

ff) a vehicle that is similar in design, construction or purpose to a vehicle listed above that cannot be categorised by vehicle class

gg) a vehicle that is registered for use on a road in a country other than New Zealand and that is not going to be in New Zealand for a continuous period of more than 18 months.

hh) an [agricultural motor vehicle](#).

Page amended **1 October 2020** (see [amendment details](#))

Page updated 1 November 2024 (see [details](#))

3-5 Establishing whether the vehicle complies

1. Select the relevant section that relates to vehicle inspection requirements for the vehicle class. For temporary import vehicles on overseas registration plates, please refer to [Technical bulletin 6](#).
2. Visually inspect the vehicle to determine whether the vehicle complies with the requirements set out in this manual (see [clause 3.1.2.2](#) of the Introduction). Vehicle inspectors are not required to remove vehicle components during the inspection of the vehicle.
3. The vehicle inspector or inspecting organisation may refuse to inspect a vehicle which:
 - a) is presented in such a condition that inspection is unreasonably difficult or cannot be completed (components missing, covered in dirt, etc) or
 - b) has an insecure load.
4. Where the vehicle inspector determines that a Reason for rejection or [clause 3.1.2.2](#) of the Introduction to this manual applies to a vehicle, the vehicle inspector must reject the vehicle for certification.
5. Where the vehicle inspector requires further information in order to determine compliance with the requirements, the inspector must reject the vehicle until the information has been obtained.
6. Where a vehicle has changed use to a passenger service vehicle since it was last certified for entry or in-service (ie the vehicle enters service as a passenger service vehicle), the vehicle inspector must have written confirmation (in the form of a PSV entry checksheet) that the vehicle complies with the PSV requirements in the [VIRM: Entry certification](#) before it can pass certificate of fitness inspection.

3-6 Check sheets

For information on rechecks and reinspections see [3-11 Rechecks](#).

Applicable legislation: [Land Transport Rule: Vehicle Standards Compliance 2002](#), section 2.3.

1. A check sheet that has been approved by the NZTA must be used. To get a checksheet approved, see:

- [WoF check sheet specifications](#) (PDF)
- [CoF check sheet specifications](#) (PDF).

2. The check sheet must accurately **record all applicable requirements for the vehicle class**, the writing must be legible on **all copies and be signed, either in writing or electronically (Note 1), by the vehicle inspector**. The vehicle inspector must sign the check sheet once they have completed the inspection and determined that the vehicle has either passed or failed the inspection.

3. Where parts of a vehicle are inspected by different people, all those inspecting the vehicle must be vehicle inspectors. The check sheet must record **the** inspector **who** inspected **each** part of the vehicle. One vehicle inspector must take overall responsibility for the inspection of the vehicle and that vehicle inspector must sign the check sheet **(either in writing or electronically (Note 1))**.

4. A vehicle inspector can determine one of two outcomes:

a) Passed inspection: record the 'determination' as stated in [section 3-7](#) and issue a WoF label or CoF label or temporary permit

b) Failed inspection: record the 'determination' as stated in [section 3-7](#). The reasons for the failed inspection must be clearly stated on the check sheet.

5. The customer copy (usually the original) of the completed check sheet must be supplied to the vehicle owner or operator **if a fail is recorded or the customer requests it**. The agent copy (usually the duplicate) is retained by the inspecting organisation.

Note 1

For electronic check sheets, an electronic signature can be:

- a digital signature, or
- VI authority number, or
- PDF e-signature.

Page amended **10 March 2025** (see [amendment details](#)).

3-7 Recording the inspection outcome ('determination')

Applicable legislation:

[Land Transport Rule: Vehicle Standards Compliance 2002](#), section 7.6

1. The inspection outcome is recorded in either the Vehicle Inspection and Certification (VIC) or LATIS system.

2. The inspection details must be entered into the system before the vehicle leaves the inspecting organisation's premises or on the day of inspection (whichever comes first). This ensures that:

a) the vehicle can be relicensed by the vehicle owner

b) the correct inspection frequency can be ascertained

c) any restrictions placed on the vehicle are identified before issuing a WoF or CoF, such as a ban flag or a pink or green sticker

d) any vehicle issued with a 28 day conditional permit must have the fail determination entered into LATIS first, then the 28 day permit must be entered with the fault codes and any conditions imposed. Refer to sections 7.9 and 7.10a.

3. Inspection details entered into the system must be accurate at the time the vehicle was inspected. This includes updating the odometer and hubodometer readings when a vehicle is re-presented for inspection.

4. For vehicles required to operate under a TSL, vehicle inspectors must also collect and record in the system the TSL number for both passed and failed inspections, and when issuing temporary permits.

3.7.1 Vehicle Inspection and Certification (VIC)

1. When an inspection has been carried out, whether the result is a pass or fail, the inspection details must be entered into the VIC system.

There are NZTA guides for inspecting organisations that show how to use VIC.

Guide: VIC - Record WoF outcome

2. Where the inspecting organisation wishes to issue WoFs but is unable to obtain the necessary authorisation numbers from VIC, several options are available:

a) The NZTA computer system is not working: the vehicle inspector or inspecting organisation must use the checksheet number as the system authorisation number. The OFF-LINE box on the reverse side of the WoF label must be ticked.

b) The inspecting organisation's computer terminal is not working: the inspecting organisation must contact the NZTA Help Desk (0800 804 580) who may grant permission for the inspecting organisation to continue to issue offline WoFs.

c) VIC goes down during WoF entry: the vehicle inspector needs to ask the customer if they intend to relicense the vehicle in the next 24 hours. If NO, the WoF details should be keyed in as soon as possible. If YES, the vehicle inspector must email a copy of the checksheet directly to the Transport Agency (email inspections@nzta.govt.nz) with a covering note of explanation. When the system is working again they must check to see if the WoF information is in the system. If not, the vehicle inspector must key the WoF in themselves to minimise any inconvenience to the customer. If it is, they must make a record of the system authorisation number, to cross reference on their copy of the checksheet.

3. To check whether or not a vehicle has a current WoF, search for the vehicle. Here are some scenarios that may occur:

Case 1:

Screen message:

This plate is not attached to a vehicle. If the plate number is incorrect, overtype with the correct plate number and click on the Search button. If the plate number is correct, advise owner that a plate must be attached before a WoF can be issued. This can be done at an NZTA Plate Agent.

The error message means that:

The vehicle is not currently registered (never registered, registration cancelled, or registration lapsed because the licence label has been expired for more than 12 months).

Action:

A WoF must not be issued. The vehicle should be referred to an entry inspecting organisation for entry or re-entry inspection and certification.

Case 2:

Screen message (as at 28/10/2024):

Vehicle details

Plate Number: AHQ136

Year: 2001

Make: Holden

Model: VX Commodore

Body type: Saloon

Previous inspections

Type: WoF

Date: 27/10/2023

Odometer: 120345

Result: Pass

System authorisation number: 2863

Expiry date: 28/10/2024

The screen message means that:

The vehicle is currently registered, licenced and has a current WoF.

Action:

A new WoF may be issued, or, if necessary, a duplicate WoF may be issued.

Case 3:

Screen message:

This vehicle does not have a current WoF.

The error message means that:

The vehicle has a registration plate attached, but the licence label has been expired for less than 12 months, and the WoF has expired.

Action:

A WoF may be issued.

Case 4:

Screen message:

Plate (XXXX) is a trade plate.

The error message means that:

The vehicle is unregistered and presented for inspection operating on trade plates.

Action:

The vehicle must match the description on either:

- form 4085 or MR2A, or
- the expired licence label.

4. The WoF expiry date is automatically calculated as specified in [clause 3.8.1](#)

3.7.2 LATIS

The procedures for keying inspections into LATIS are given in the [LATIS users' manual](#).

Page amended **1 October 2023** (see [amendment details](#))

Page updated 1 April 2025 (see [details](#))

3-8 Issuing the WoF or CoF label - 'evidence of vehicle inspection' - or temporary permit

Applicable legislation: [Land Transport Rule: Vehicle Standards Compliance 2002](#), sections 7.9 and 9

3.8.1 Expiry dates

Expiry date of the WoF

The WoF expiry date is calculated from the reference date. The **reference dates** are:

- For a vehicle with an expired WoF or without a previous WoF: the date the vehicle passes the inspection

- For a vehicle with a current WoF expiring in 14 days or less after the vehicle passes the inspection: the expiry date of the current WoF
- For a vehicle with a current WoF expiring in more than 14 days after the vehicle passes the inspection: the date that is 14 days after the vehicle passes the inspection
- For a vehicle that has been issued with a pink or green sticker (other than a 'G2' green sticker) or that has its WoF revoked: the date the vehicle passes the inspection.

The WoF expiry date must be determined as follows:

Vehicle	Date of first registration anywhere or vehicle age	WoF expiry
Light motor vehicle (other than an agricultural motor vehicle)	Never registered anywhere previously and not yet registered in New Zealand	3 years from reference date
	Any WoF issued within 2 years from date of first registration anywhere	Third anniversary of date of first registration anywhere
	First registered anywhere on or after 1/1/2000 (other than a vehicle listed above)	12 months from reference date
	First registered anywhere before 1/1/2000 and less than 40 years old	6 months from reference date
Vintage vehicle	Manufactured on or after 1 January 1919 and is at least 40 years old	12 months from reference date
Veteran vehicle	Manufactured before 1 January 1919	12 months from reference date
Heavy motor vehicle (CoF exempt) (other than an agricultural motor vehicle)	Never registered anywhere previously	12 months from reference date
	Less than six years old from date of first registration anywhere	12 months from reference date
	Six years or older from date of first registration anywhere	6 months from reference date
Agricultural motor vehicle	Any age	12 months from reference date

Important note: A vehicle's date of first registration anywhere is generally not available to the WoF inspector. Where it is important to know the exact date to determine the correct expiry date, the vehicle inspector must identify the correct expiry date on Landata or Vehicle Inspection and Certification (VIC) BEFORE issuing a WoF label.

Expiry date of the CoF

The CoF expiry date is calculated from the reference date. The **reference dates** are:

- For a vehicle with an expired CoF or without a previous CoF: the date the vehicle passes the inspection
- For a vehicle with a current CoF expiring in 28 days or less after the vehicle passes the inspection: the expiry date of the current CoF
- For a vehicle with a current CoF expiring in more than 28 days after the vehicle passes the inspection: the date that is 28 days after the vehicle passes the inspection
- For a vehicle that has been issued with a pink or green sticker (other than a 'G2' green sticker) or that has its CoF or temporary permit revoked: the date the vehicle passes the inspection.

The CoF expiry date must be either:

- a) six months from the reference date, or
- b) between three and 12 months from the reference date (for vehicles for which NZTA have specified an alternative CoF expiry date), or
- c) for a class MA rental vehicle that was new when it was first registered in New Zealand as a rental service vehicle:
 - i. 12 months from the date the vehicle passes its first CoF inspection, then
 - ii. six months from the reference date for any subsequent CoF inspections.

d) 12 months for vehicle that meets the private heavy motorhome definition (Note 1). Where the vehicle does not meet this definition, the expiry date must be six months and inspection group 21 / 22 to be used.

Important note: As a vehicle may be on a CoF frequency other than six months, the vehicle inspector must identify the correct expiry date BEFORE issuing a CoF label.

Expiry date of a temporary permit (CoF vehicles only)

The expiry date is 28 days after the date of issue of the permit.

When a WoF, CoF or temporary permit ceases to be current

A WoF, CoF or temporary permit ceases to be current:

- a) after its expiry date, or
- b) if the vehicle has been green or pink stickered and a new WoF or CoF is required (note that a new WoF or CoF is not required for a 'G2' green sticker so the existing expiry date remains unaffected), or
- c) if the WoF, CoF or temporary permit has been revoked by a person authorised by the NZTA.

Note 1

Private heavy motorhome means a motor vehicle that is:

(a) class MB, NB or NC,

(b) permanently equipped with fixed equipment intended to make the vehicle suitable as a dwelling place and must include at least:

- (i) one sleeping berth,

(ii) cooking facilities, and

(iii) a toilet that is permanently fixed to the vehicle and usable within the vehicle,

(c) not used for the carriage of passengers for hire or reward,


(d) not operated under a transport service licence.

Where all requirements are met, use inspection group 27 or 28 for CoF expiry.

3.8.2 Completing and affixing the WoF or CoF label

Completing the WoF label

Figure 3-8-1. Warrant of fitness (WoF) label (for expiry dates from 2014 onwards)



If the vehicle passes the WoF inspection, the new WoF label must be completed in the following manner:

a) Front side:

- i. select the WoF label with the correct year of expiry of the WoF, and
- ii. using a hole punch of at least 6mm diameter, punch out the appropriate numbers representing the month and year of the WoF expiry date.

b) Reverse side: record the:

- i. name of the inspecting organisation (a business stamp is acceptable), and
- ii. vehicle registration number, and

iii. system authorisation number, and

iv. full expiry date of the WoF.

Each WoF label has a unique serial number printed on three places of the reverse side. The serial number is provided for cross referencing of the inspection documentation. The vehicle inspector must:

- (for paper check sheets) remove both serial number stickers and attach one to the customer copy and the other to the file copy
- (for electronic checksheets) record the serial number on all copies.

Affixing the WoF label

The WoF label must be affixed by the vehicle inspector or a delegated employee of the inspecting organisation in one of the following positions:

a) if the vehicle is fitted with a windscreen:

i. to the inside of the windscreen facing outwards on the same side as the steering wheel, and

ii. as close as possible to the edge of the windscreen where it is clearly visible from the outside and is not obscured by an anti-glare band or sticker


b) for a trailer, on the back of the vehicle near the registration plate, or on the right-hand side of the vehicle at the rear, or if this is impracticable, in a position where it can readily be seen

c) for any other vehicle, in a position where it can readily be seen.

Not more than one WoF label may be displayed at one time. When issuing a new WoF label, the vehicle inspector or a delegated employee of the inspecting organisation must remove the existing label.

Completing the CoF label

Figure 3-8-2. Certificate of Fitness (CoF) label details



If the vehicle passes the CoF inspection, the new CoF label must be completed in the following manner:

a) Front side:

- i. select the CoF label with the correct year of expiry of the CoF, and
- ii. using a hole punch of at least 6mm diameter:
 - punch out the appropriate numbers representing the month and year of the CoF expiry date if using the CoF label in Figure 3-8-2.

b) Reverse side: record the:

- i. vehicle registration number, and
- ii. vehicle make, and
- iii. full expiry date of the CoF, and
- iv. name of the inspecting organisation.

c) Label record (butt): record the:

- i. vehicle registration number, and
- ii. date the CoF is issued, and
- iii. full expiry date of the CoF, and

iv. signature of the vehicle inspector.

Each CoF label has a unique serial number which must be recorded on both copies of the checksheet.

Affixing the CoF label


The CoF label must be affixed by the vehicle inspector or a delegated employee of the inspecting organisation in one of the following positions:

- a) if the vehicle is fitted with a windscreen:
 - i. to the inside of the windscreen facing outwards, on the same side as the steering wheel, and
 - ii. as close as possible to the edge of the windscreen where it is clearly visible from the outside and is not obscured by an anti-glare band
- b) for a trailer, on the back of the vehicle near the registration plate, or on the right-hand side of the vehicle at the rear, or if this is impracticable, in a position where it can readily be seen
- c) for any other vehicle, in a position where it can readily be seen.

Not more than one CoF label may be displayed at one time. When issuing a new CoF label, the vehicle inspector must remove the existing label.

3.8.3 Completing the temporary permit ('28 day permit' for CoF vehicles only)

Figure 3-8-3. Temporary permit (28 day permit for CoF vehicles)

		Permit for the Temporary Use of a Vehicle Without a Certificate of Fitness	
Registration no.	Expiry date	XXXXXX	
<input type="text"/>	<input type="text"/>		
<small>Pursuant to sections 7.10(a) and 9.6(3) of the Land Transport Rule: Vehicle Standards Compliance 2002 ("the rule") the vehicle described in this permit may be used on a road without a current certificate of fitness for a period of 28 days after the date of issue of this permit. Pursuant to section 9.7 of the rule this permit ceases to be current after the expiry date or if:</small>			
Class of vehicle	<ul style="list-style-type: none">• a non-operation order is issued for the vehicle• the permit is revoked• the vehicle is a transport service vehicle that suffers significant damage or deterioration.		
<input type="text"/>	Make and model	VIN/Chassis no.	
<input type="text"/>	<input type="text"/>	<input type="text"/>	
Name of registered person			
<input type="text"/>			
Business address			
<input type="text"/>			
<input type="text"/>			
Remarks and/or conditions of use			
<input type="text"/>			
<input type="text"/>			
<input type="text"/>			
Issued by	Inspector ID	<input type="text"/>	signature of vehicle inspector
Date of issue	for	<input type="text"/>	name of inspecting organisation
<small>IMPORTANT NOTE: If the vehicle described in this permit is one that is, or ought to be, operated under a transport service licence, a relevant transport service licence must be held by the person carrying on the service.</small>			LT4013 11/17

This permit may be issued by an inspecting organisation in the case of a vehicle that does not comply with all applicable requirements, but is safe to be operated subject to specified conditions. The completed permit must be carried in the vehicle.

To assist with minimising delays, temporary permits may be issued to vehicles that have had a minor fault repaired by a manufacturing certifier but that have not yet had an LT400 issued. The manufacturing certifier must issue the CoF inspector a written professional opinion stating the repair is carried out to industry best practice. The professional opinion should be on the HV manufacturing certifier company letterhead and must contain:

- vehicle details
- HV manufacturing certifier details
- details of the fault
- a statement stating that it has been repaired to industry best practice and is safe to operate on the road for up to 28 days
- the date the professional opinion was issued
- HV manufacturing certifier signature.

The permit must be completed in the following manner:

Record the:

1. vehicle registration number, and
2. expiry date of the permit, and
3. validity period of 28 days, and
4. class of the vehicle, and
5. make and model, and
6. VIN or chassis number, and
7. name of the registered owner, and
8. registered owner's business address, and
9. specified conditions relating to the vehicle's operation, and
10. date of issue of the permit, and
11. signature of the vehicle inspector.

- These details must be clearly legible on both copies of the permit.
- Each permit has a unique serial number which must be recorded on both copies of the checksheet.
- Any vehicle issued with a 28 day conditional permit must have the fail determination entered into LATIS first, then the 28 day permit must be entered with the fault codes and any conditions imposed. Refer to sections 7.9 and 7.10a of [Land Transport Rule: Vehicle Standards Compliance 2002](#).

Page amended **10 September 2025** (see [amendment details](#))

3-9 Collecting fees

Applicable legislation: [Land Transport \(Certification and Other Fees\) Regulations 2014](#).

3.9.1 Application for inspection and certification of vehicles for in-service

The fee to be paid by an applicant for inspection and certification of a vehicle for in-service (WoF, CoF or permit) is the amount fixed by the inspecting organisation that is reasonable, having regard to:

- a) the time spent in inspecting the vehicle to ascertain whether it complies with the relevant requirements, and
- b) any fees payable to the NZTA, and

c) any standard or usual rate at which the inspecting organisation imposes charges for other work carried out in respect of motor vehicles.

Where a vehicle fails a WoF inspection, no additional fee is payable for any subsequent inspection by the same inspecting organisation for the purpose of the same certification, if such application is made within 28 days of the first inspection for the issue of the evidence of vehicle inspection. A fee is payable for an inspection if the vehicle is presented after the 28 days have lapsed.

- For more information on rechecks and reinspections see [3-11 Rechecks](#).

3.9.2 Duplicate evidence of vehicle inspection

The inspecting organisation or vehicle inspector may charge a reasonable fee for providing a duplicate of an evidence of vehicle inspection.

When issuing a duplicate WoF or CoF label, the same requirements apply as for the original label as specified in [section 3.8](#), that is, it must be attached by the vehicle inspector or delegated employee, and only one label may be attached to the vehicle at any time.

Page amended **1 June 2018** (see [amendment details](#)).

3-10 Operating a vehicle without a current WoF or CoF

A person must not operate a vehicle on the road unless it has a current WoF/CoF and complies with WoF/CoF requirements.

A person may legally operate a vehicle with an expired WoF/CoF **ONLY** if the vehicle is being operated **SOLELY** for the purpose of bringing it into compliance, and provided the vehicle is safe to be operated for that purpose.

The 28 days given after a failed WoF/CoF only relate to the payment of inspection fees and when a new inspection starts, see sections [3.6.6](#) and [3.9](#). The 28 days do NOT allow a person to continue using the vehicle for a purpose other than for bringing the vehicle into compliance.

Where a vehicle still has a current WoF/CoF when it is failed, it must be brought up to compliance before it can again be operated for other purposes up to the date the WoF/CoF expires.

3-11 Rechecks

If a vehicle fails a WoF inspection, there is no fee for any subsequent inspection as long as it is done:

- within 28 days of the first inspection where the vehicle failed, and
- at the same inspecting organisation (does not have to be the same site if the inspecting organisation operates at more than one site).

Notes

- In the case of split testing for heavy vehicle brakes at CoF, the 28 days start from the completion of the second phase of the split test.
- If a vehicle has passed a performance test but has been failed for condition and has then been repaired, the performance should be re-tested as part of the recheck (for example brakes where the pads have been replaced).
- A fee may be charged for CoF re-inspections.

A fee is payable, and a new WoF or CoF inspection is required if the vehicle is presented after the 28 days have passed.

Legislation

[Land Transport \(Certification and Other Fees\) Regulations 2014](#)

Page added **1 April 2022** (see [amendment details](#)).

Page updated **4 March 2024** (see [update details](#)).

4 Complaints

Customers should be encouraged to direct any complaints to the inspecting organisation in the first instance.

To ensure all written complaints received are investigated, the inspecting organisation must maintain an effective complaint management process, which must meet the following requirements:

1. a clear and concise statement that recognises the positive value of complaints
2. clear and concise instructions to all customers on how to register a complaint. This can be accomplished in several ways, for example:
 - a) a conspicuous notice on the workplace wall, or
 - b) a clear statement on any receipt or invoice issued, or
 - c) a clear statement on the inspecting organisation's checksheet
3. a straightforward explanation of the expected standards for resolution and the customer's right to appeal to the NZTA if they are dissatisfied with the proposed resolution
4. documentation of any investigation into a complaint prepared in accordance with the **QMS requirements** so that details of the investigation can be readily checked
5. acknowledgment of all written complaints in writing within three working days, and the investigation completed and a resolution proposed to the complainant within 20 working days of the complaint being made
6. a record of all complaints, both verbal and written, in accordance with the **QMS requirements**
7. directions for any customer who wishes to make a complaint or appeal a decision made by an inspecting organisation to contact the NZTA Helpdesk (0800 699 000).

Dealing with disputed failed CoF inspections for vehicles subject to the Operator Rating System (ORS)

Where the operator of a vehicle subject to ORS queries a failed inspection, please follow the *Operator issue resolution process – disputed failed inspections* in [section 3-9-3 of the LATIS manual](#) (password required).

Vehicle operators may be referred to the [Transport Agency website for more information](#) about querying failed CoF inspection results.

Page amended **1 November 2014** (see [amendment details](#)).

5 Inspection premises and equipment

5.1 General requirements

- The inspecting organisation must continue to comply with the applicable requirements in this section.
- The inspecting organisation must maintain their premises and equipment in a good state of repair at all times while conducting inspection and certification activities.
- The inspecting organisation must use any specified equipment when inspecting a vehicle, where appropriate.
- Inspection equipment must meet equipment manufacturer's requirements and have current calibration.
- Brake performance testing equipment must be calibrated at least every 12 months, or more frequently if required by the equipment manufacturer, or following any maintenance that may alter the calibration.
- Inspections must take place in the inspection area, using the approved or specified equipment, unless otherwise permitted by NZTA.
- It is the IO's responsibility to ensure that the inspection premises and equipment it uses comply with occupational health and safety requirements, and any other relevant Acts, regulations and local bylaws.

5.2 Administration requirements

Feature	Minimum requirement	Examples and things to consider
Administration	<ul style="list-style-type: none"> • Access to the vehicle inspection portal for the VIRMs, forms, news and other information relevant to vehicle inspections • Access to Vehicle Inspection and Certification (VIC) and guides, or access to LANDATA and the agents portal for the LATIS manual, to record inspections • Administration equipment must be located and operated from a location where the public does not have access when staff are not present. • CoF only: ability to provide Certificate of Loading certificates (CoL printer and media) • Controlled documents (WoF/CoF labels, CoL labels and check sheets) must be securely stored and kept locked away outside normal business hours to protect from public access • Equipment must be in good condition and working order 	<p>To connect to our computer systems you must use one of:</p> <ul style="list-style-type: none"> • Windows 8.1 • Windows 10 • Windows 11. <p>Approved browsers :</p> <ul style="list-style-type: none"> • Edge v96.0.1054.x or greater • Chrome v96.0.4664.x or greater • Firefox 91.0.x or greater • Safari 14.1.2 (16611.3.10.1.6) or greater. <p>Note: VIC can be accessed through any computer system that has at a minimum the above approved browser versions.</p>

5.3 Inspection site requirements

Feature	Minimum requirement	Examples and things to consider
Access to and exit from inspection area	No requirements; however, if the site has access restrictions for a particular standard legal size vehicle, that vehicle will not be able to be inspected at the site.	<p>A standard legal size vehicle is one that either:</p> <ul style="list-style-type: none"> • meets Table 4.1 the Land Transport Rule: Vehicle Dimensions and Mass 2002, or • a high productivity motor vehicle
Inspection area	The inspection area needs to be situated within a building that has a roof, sides and doors made of permanent materials, and a solid and level floor so that a vehicle or vehicle combination remains stationary when parked in neutral with all brakes off, and there must be sufficient clearance (width, length and height) to allow doors to be fully opened and all inspection actions to be carried out.	Room for suspension test bars, room to view roof structure for corrosion/damage and raise vehicle, room to check headlamps.
Lighting	<ul style="list-style-type: none"> • There must be sufficient suitable lighting in the inspection area, including underbody. • An inspection lamp is required. 	Required for vehicle exterior, interior and underbody inspections. (If you meet AS/NZS 1680 that will be suitable.)

<p>Underbody examination, including running gear</p>	<p>Ability to carry out inspection of the underside of the vehicle, including structure, running gear, steering, brake systems and suspension by means of a pit, hoist, fixed ramp, or other equipment enabling adequate inspection of the underbody of the vehicle.</p>	<p>Examples:</p> <ul style="list-style-type: none">• Four-post vehicle hoist and industrial-quality trolley jack.• Inspection pit with in-pit jack.• Two-post hoist with a method of completing laden steering test.• Inspection pit and industrial-quality trolley jack.• Four-post vehicle hoist with built-in jacking mechanism.• Fixed ramp and industrial-quality trolley jack.• Motorcycle jack/stand <p>Note: Axle stands and creepers will not be approved for use as part of the vehicle inspection of standard vehicles unless specifically for use at a specified site.</p> <p>Steel test bar or similar for steering and suspension, or a steering or suspension test machine.</p>
--	--	---

5.4 Inspection equipment requirements

Feature	Minimum requirement	Examples and things to consider
Vehicle dimensions	Measuring device(s) appropriate for the vehicle being inspected. The measurement must be taken with a single measure.	Required to confirm interior and exterior vehicle dimensions, e.g. overall length, width or height or passenger service vehicle (PSV) seat spacing. A 3m and a 25m measuring tape will be appropriate for most vehicles.
Tyres	Device for measuring tyre tread depth.	Graduated tyre tread depth gauge.
Brake testing	<ul style="list-style-type: none"> • WoF – Access to an NZTA-approved decelerometer and level test strip, or a NZTA-approved brake testing machine (see section 5.5 for list of approved brake testers). • CoF A (light) – NZTA-approved plate or roller brake machine for all classes of vehicle, except classes LC and LD and certain special vehicles where access to a NZTA-approved decelerometer and level test strip is the minimum that is required (see section 5.6 for list of approved brake testers). • CoF B (heavy) – NZTA-approved roller brake machine (RBM) (refer to Heavy vehicle brake testing: CoF and entry certificate brake test protocol and procedures). For certain special vehicles, access to an NZTA-approved decelerometer and level test strip will be required (see section 5.7 for list of approved brake testers). • Air gauge (minimum 1000kPa), and fittings that enable the air gauge to be attached to a duomatic coupling. • Stopwatch or timing equipment. • An approved motorcycle helmet if road testing is carried out for class LC, LD, and LE vehicles 	<p>Level access either side of a roller brake machine: such that the vehicle or vehicle combination remains stationary when in neutral with the brakes off; and that allows the vehicle to enter and exit the RBM in a straight line so that all axles can be tested correctly.</p> <p>Access to an NZTA-approved decelerometer and level test strip will be required if testing vehicles for which RBM testing is not appropriate or if the RBM is inoperative for any reason and you want to continue to offer CoF inspections temporarily while it is repaired or a replacement can be organised. For heavy vehicles, see approval requirements for alternative brake testing in heavy vehicle brake testing: CoF and entry certificate brake test protocol and procedure.</p> <p>Where a road test is carried out on a class LC, LD, or LE, motorcycle the vehicle inspector must have access to, and wear an approved motorcycle helmet.</p>
Headlamps	Commercial-quality optical headlamp beam tester (or for motorcycles, forklifts and tractors only, a graduated light board).	Size of light board and location within the compliance facility.

Vision	Equipment optional. If checking light transmission through glazing using a light transmission measuring device, it must be calibrated.	A 35% VLT tint sample or a calibrated light transmission meter.
Heavy vehicle towing connections	<ul style="list-style-type: none"> • 40mm tow pin wear indicator gauge • 50mm tow pin wear indicator gauge • 40mm tow eye wear indicator gauge • 50mm tow eye wear indicator gauge • Method of inspecting ball-race turntables. 	Steel test bar for ball-race turntables or similar.
PSV door test	Test bar and spring force scale for checking power-operated door closing force (refer to Technical bulletin 5 for test bar technical specifications).	
Taximeter testing	<ul style="list-style-type: none"> • Surveyed test strip (mandatory) • Calibrated rolling road (optional) • Meter seal kit • Stopwatch. 	<p>Not part of CoF inspection but required if you also want to carry out taximeter calibration checks.</p> <p>Refer to Technical bulletin 4 for requirements.</p>

5.5 Approved brake test equipment (WoF)

Note The vehicle inspector must use an approved brake tester when carrying out the brake test. Should the tester break down, or a vehicle cannot reasonably be tested with that tester, the vehicle must be tested with another approved brake tester or undergo the brake distance test.

Manufacturer	Models	Gazette notice details
AECS	STT10	15 December 2016, No 118
	STT10e	10 September 2021, 2021-au3935
	STT10w	2024-au2922
	STT30	2021-au5065
	STT45	20 April 2018, 2018-au1907
Anzen	BS52FL Roller brake testing machine	26 October 1989, No 189, p 5299
Auto Test Products	AutoStop Mini 1.0 AutoStop Maxi 6.2 and 6.2x AutoStop HVBM	5 December 2000, No 164, p 4262
	AutoStop Micro Plus AutoStop Mini Plus	3 March 2011, No 23, p 623
Banzai	BBT51S Roller brake testing machine	26 August 1989, No 189, p 5299
Bear	450, 451, 452, 4510 and 4511	7 March 1957, No 20, p 449
BM Autoteknik	Portable truck brake testing machine Model No BM20200	30 January 1997, No 8, p 190
	Model No BM8010 (with or without the facility to test the brakes on dedicated 4WD vehicles)	2 May 1996, No 41, p 1182
	BMX200 Roller brake testing machine	12 November 1998, No 184, p 4350

Manufacturer	Models	Gazette notice details
BMX010 Turbo roller brake testing machine	14 January 1999, No 246, p 65	
BM17200	1 August 2000, No 89, p 2184	
BM7010	31 October 2000, No 150, p 3866	
BM30200 (upgraded Crypton EB30)	5 December 2000, No 164, p 4262	
BM63200 (upgraded Crypton 630)	12 March 2002, No 28, p 626	
BM3010, BM9010, BM12200	5 April 2001, No 37, p 829	
14200 series	17 April 2008, No 73, p 2055	
BM4010	14 December 2006, No 172, p 5032	
BM18200	6 April 2017, No 37, 2017-au1651	
Bowmonk	Brake Check Model 801	25 May 2006, No 46, p 1232
Bowmonk	Brake Check Model 803	25 May 2006, No 46, p 1232
CEMB	DCA 3 Roller brake testing machine	10 June 1999, No 67, p 1549
	DCA5-FN3	25 June 2009, No. 94, p 2117
Circuitlink	Brake Check	22 May 2003, No 53, p 1380

Manufacturer	Models	Gazette notice details
Brake-Testa Model BT1	25 May 1995, No 50, p 1282	
Cosber	C-BTP 10 Plate Brake Machine	2 July 2025, 2025-au3604
Crypton	Crypton Bradbury E10 dynamic brake tester	16 March 1967, No 16, p 384
	Crypton Models 630 and 660 Roller brake testing machine	26 October 1989, No 189, p 5299
	Crypton 690A brake tester	14 August 2003, No 101, p 2689
Hammar	Dynamometer 54	21 March 1968, No 15, p 474
Hartridge	MkII Brake tester	3 September 1970, No 53, p 1574
Hoffman Werkstatt	<p>Brekon 131-3</p> <p>Brekon 131-4 and 4S</p> <p>Safeline Pro testing lanes that include one of the following:</p> <p>Brekon 130-3</p> <p>Brekon 130-4 and 4S</p> <p>Safeline Truck testing lanes that include brake testing devices suitable for 10, 13, 16 or 18 t axle load at a test speed of 2.6, 2.8, 5.2, or 5.6 km/h</p>	25 September 2001, No 135, p 3469
	Brekon 141-3 and 141-4	9 November 2006, No. 132, p 3837
HPA	Models 2302, 2303, and 2313-MK Roller brake testing machine	22 March 1973, No 23, p 524

Manufacturer	Models	Gazette notice details
Model 5023 Roller brake testing machine	29 June 1995, No 64, p 1733	
Model LX5004.138.009 Roller brake testing machine	21 March 1996, No 28, p 867	
Hunter	B400 Plate Brake Tester	19 September 1991, No 140, p 2992
	B404 Plate Brake Tester	22 August 1991, No 126, p 2727
Intertech	Model No HH650 EV	7 March 1996, No 23, p 735
Jevol	Model BT3900	20 April 2018, 2018-au1916
	Model BT2200	20 April 2018, 2018-au1916
	Model PBT3900	20 April 2018, 2018-au1916
	Model PBT2200	20 April 2018, 2018-au1916
	Model RRT-2500	2 June 2016, No 50
	Model RRT-2500W	2 June 2016, No 50
	Model RRT-7500	21 August 2014, No 96, p2732
	Model RRT-7500M	27 November 2014, No 143

Manufacturer	Models	Gazette notice details
Model RRT-9500	5 February 2015, No 13	
Kismet	Model Nos KBT 300, 301 and 302	22 March 1973, No 23, p 524
MAHA	MAHA PP2 Platform brake tester (digital and analogue)	6 October 1988, No 170, p 3973
	MAHA Platform brake tester Model Junior-Check 2P	14 September 1995, No 99, p 3102
	MAHA Platform brake tester MPP 2240	9 June 2011, No 81, p1909
	MAHA Roller brake testing machine MBT2000 series (was Model IW 2 Series)	24 February 1994, No 16, p 914
	MAHA Roller brake testing machine Model IW 4	21 March 1996, No 28, p 867
	MAHA Roller brake tester Model IW 7 Mobile	15 June 2006, No 52, p 1430
	MAHA Roller brake tester Model MBT 2100	17 December 2009, No 188, p4524
	MBT 5250 and MBT 4250 Eurosystem (was Model IW 4)	17 October 2013, No 143, p 3914
	MBT 7250	5 February 2021, No 2021-au394
	MTL 5250	16 February 2017, No 2017-au642
	W220 Connect	15 June 2022, 2022-au2398
W250 Connect	15 June 2022, 2022-au2399	

Manufacturer	Models	Gazette notice details
Muller Automotive	43850 43350 44700 44750 50500 56400	27 Nov 2025 au6890 27 Nov 2025 au6891 27 Nov 2025 au6892 27 Nov 2025 au6894 27 Nov 2025 au6895 27 Nov 2025 au6896
Muller BEM	Billanmatic series 45200, 43300, 44800, 44700 Note the model number may also include B, 2V, B-2V Billanmatic series 7300, 7500, 7700, 8600, 10000	5 December 2000, No 164, p 4262
Nepean	Model Barbie 14104 Vehicle inspection trailer	11 June 1998, No 79, p 1760
Nissalco	Model IM2581 Roller brake tester	3 December 1981, No 145, p 3661
	Model M2581 Super-Combi Tester	24 June 1999, No 75, p 1696
PlateTronic (also known as SafeTstop)	Models Pitstop 2P Eco (also known as Short Track Ultima), Pitstop 4P Platebrake tester (also known as Long Track Ultima)	9 April 2009, No 48, p 1177 21 August 2014, No 96, p 2732 12 March 2015, No 24
Ravaglioli	RT102/6 GLFP RT102/6 GPE	4 November 2020, 2020-au5085
Rymw Worldwide SA	FRL	2024-au2412
	FRL 5.5	2024-au2411
	FRU 4 (lifting bed version)	2024-au4472

Manufacturer	Models	Gazette notice details
Shenzhen Cosber Industrial Co Ltd	Model Cosber KZD-3 series of roller brake testing machines	25 September 2008, No 143, p 3901
Sherpa	BPS Twin ZT-18115	27 Nov 2025 au6897
	BS Kompact 3.5	27 November 2014, No 143
	PBT-24-4757	11 May 2017, No. 49, 2017-au2196
	PPS-101-ECO (plate brake tester)	2023-au592
Simaret	Models Simaret BrakeSafe, Simaret 3000, Simaret F	12 November 1998, No 184, p 4350
Triangle	Brake testing instruments Commercial Vehicle Model and Standard Model (Ref. DBT2)	5 May 1966, No 25, p 737
Turnkey	G-meter decelerometer	11 June 2025, 2025-au3176
Vamag	RBT-C	2 June 2016, No 50
	RBT3500 C7	16 March 2017, No 29, 2017-au1231
	RBT3500 XS	16 March 2017, No 29, 2017-au1232
Van Leeuwen Test Systems B.V.	VLT 423 roller brake machine	16 January 2014, No 4, p129
Vehicle Inspection Systems Pty Ltd	VIS-Check, VIS-TF-RL and VIS-VE-RL	4 March 2010, No 25, p 580
Vericom	Model VC2000 and VC2000PC brake testing computers	26 October 1995, No 122, p 3775

Manufacturer	Models	Gazette notice details
Model VC3000	27 March 2003, No 30, p 847	
Vipac	Model VBT101 brake-tester	23 June 1994, No 62, p 2089, or 25 May 1995, No 50, p 1282
VTEQ S.L. (Spain) (previously BCN)	VTEQ 3080	14 August 2003, No 101, p 2689
	VTEQ 2080	17 February 2004, No 17, p 372
	VTEQ 6000 (analogue) VTEQ 7000 (digital)	9 November 2006, No. 132, p 3837

The following mechanical decelerometers cannot be used by inspecting organisations that are authorised to operate after 1 June 2023. Inspecting organisations that were authorised to operate before 1 June 2023 have until 1 June 2024 to phase out their use and be replaced by an approved electronic decelerometer.

Table 5.5.1. Mechanical decelerometers being phased out June 2024

Manufacturer	Models	Gazette notice details
Bowmonk	Model MkIII Dynamometer	25 August 1960, No 54, p 1281
Tapley	Tapley portable brake tester	7 March 1957, No 20, p 449
Tecalemit	Model No DE 5000 CU Roller brake testing machine	22 February 1996, No 15, p 508
Vane	Vane Bowmonk dynameter	16 March 1967, No 16, p 384
Weaver	WY-25, WY-30, WY-40S, WY-55, WY-60, WY-70S, WY-75 and WY-76	7 March 1957, No 20, p 449

5.6 Approved brake test equipment (CoF – light vehicles)

Note The vehicle inspector must use an approved brake tester when carrying out the brake test. Should the tester break down, or a vehicle cannot reasonably be tested with that tester, the vehicle must be tested with another approved brake tester (including a decelerometer listed above) or undergo the brake stopping distance test.

Manufacturer	Models	Gazette notice details
AECS	STT10	15 December 2016, No 118
	STT10e	10 September 2021, 2021-au3935
	STT10w	2024-au2922
	STT30	2021-au5065
	STT45	20 April 2018, 2018-au1907
Anzen	BS52FL Roller brake testing machine	26 October 1989, No 189, p 5299
Banzai	BBT51S Roller brake testing machine	26 August 1989, No 189, p 5299
BM Autoteknik	Portable truck brake testing machine Model No BM20200	30 January 1997, No 8, p 190
	Model No BM8010 (with or without the facility to test the brakes on dedicated 4WD vehicles)	2 May 1996, No 41, p 1182
	BMX200 Roller brake testing machine	12 November 1998, No 184, p 4350
	BMX010 Turbo roller brake testing machine	14 January 1999, No 246, p 65
	BM17200	1 August 2000, No 89, p 2184
	BM7010	31 October 2000, No 150, p 3866
	BM30200 (upgraded Crypton EB30)	5 December 2000, No 164, p 4262

Manufacturer	Models	Gazette notice details
BM63200 (upgraded Crypton 630)	12 March 2002, No 28, p 626	
BM3010, BM9010, BM12200	5 April 2001, No 37, p 829	
14200 series	17 April 2008, No 73, p 2055	
BM4010	14 December 2006, No 172, p 5032	
BM18200	6 April 2017, No 37, 2017-au1651	
CEMB	DCA 3 Roller brake testing machine	10 June 1999, No 67, p 1549
	DCA5-FN3	25 June 2009, No. 94, p 2117
Cosber	C-BTP 10 Plate Brake Machine	2 July 2025, 2025-au3604
Crypton	Crypton Bradbury E10 dynamic brake tester	16 March 1967, No 16, p 384
	Crypton Models 630 and 660 Roller brake testing machine	26 October 1989, No 189, p 5299
	Crypton 690A brake tester	14 August 2003, No 101, p 2689
Hammar	Dynamometer 54	21 March 1968, No 15, p 474
Hartridge	MkII Brake tester	3 September 1970, No 53, p 1574

Manufacturer	Models	Gazette notice details
Hoffman Werkstatt	Brekon 131-3 Brekon 131-4 and 4S Safeline Pro testing lanes that include one of the following: Brekon 130-3 Brekon 130-4 and 4S Safeline Truck testing lanes that include brake testing devices suitable for 10, 13, 16 or 18 t axle load at a test speed of 2.6, 2.8, 5.2, or 5.6 km/h	25 September 2001, No 135, p 3469
	Brekon 141-3 and 141-4	9 November 2006, No. 132, p 3837
HPA	Models 2302, 2303, and 2313-MK Roller brake testing machine	22 March 1973, No 23, p 524
	Model 5023 Roller brake testing machine	29 June 1995, No 64, p 1733
	Model LX5004.138.009 Roller brake testing machine	21 March 1996, No 28, p 867
Hunter	B400 Plate Brake Tester	19 September 1991, No 140, p 2992
	B404 Plate Brake Tester	22 August 1991, No 126, p 2727
Intertech	Model No HH650 EV	7 March 1996, No 23, p 735
Jevol	Model BT2200	20 April 2018, 2018-au1916
	Model BT3900	20 April 2018, 2018-au1916

Manufacturer	Models	Gazette notice details
Model PBT2200	20 April 2018, 2018-au1916	
Model PBT3900	20 April 2018, 2018-au1916	
Model RRT-2500	2 June 2016, No 50	
Model RRT-2500W	2 June 2016, No 50	
Model RRT-7500	21 August 2014, No 96, p2732	
Model RRT-7500M	27 November 2014, No 143	
Model RRT-9500	5 February 2015, No 13	
Kismet	Model Nos KBT 300, 301 and 302	22 March 1973, No 23, p 524
MAHA	MAHA PP2 Platform brake tester (digital and analogue)	6 October 1988, No 170, p 3973
	MAHA Platform brake tester Model Junior-Check 2P	14 September 1995, No 99, p 3102
	MAHA Platform brake tester MPP 2240	9 June 2011, No 81, p1909
	MAHA Roller brake testing machine MBT2000 series (was Model IW 2 Series)	24 February 1994, No 16, p 914
	MAHA Roller brake testing machine Model IW 4	21 March 1996, No 28, p 867
	MAHA Roller brake tester Model IW 7 Mobile	15 June 2006, No 52, p 1430
	MAHA Roller brake tester Model MBT 2100	17 December 2009, No 188, p4524

Manufacturer	Models	Gazette notice details
MBT 5250 and MBT 4250 Eurosystem (was Model IW 4)	17 October 2013, No 143, p 3914	
MBT 7250	5 February 2021, No 2021-au394	
MTL 5250	16 February 2017, No 2017-au642	
W220 Connect	15 June 2022, 2022-au2398	
W250 Connect	15 June 2022, 2022-au2399	
Muller Automotive	43850 43350 44700 44750 50500 56400	27 Nov 2025 au6890 27 Nov 2025 au6891 27 Nov 2025 au6892 27 Nov 2025 au6894 27 Nov 2025 au6895 27 Nov 2025 au6896
Muller BEM	Billanmatic series 45200, 43300, 44800, 44700 Note the model number may also include B, 2V, B-2V Billanmatic series 7300, 7500, 7700, 8600, 10000	5 December 2000, No 164, p 4262
Nepean	Model Barbie 14104 Vehicle inspection trailer	11 June 1998, No 79, p 1760
Nissalco	Model IM2581 Roller brake tester	3 December 1981, No 145, p 3661
	Model M2581 Super-Combi Tester	24 June 1999, No 75, p 1696

Manufacturer	Models	Gazette notice details
PlateTronic (also known as SafeTstop)	Models Pitstop 2P Eco (also known as Short Track Ultima), Pitstop 4P Platebrake tester (also known as Long Track Ultima)	9 April 2009, No 48, p 1177 21 August 2014, No 96, p 2732 12 March 2015, No 24
Ravaglioli	RT102/6 GLFP RT102/6 GPE	4 November 2020, 2020-au5085
Ryme Worldwide SA	FRL	2024-au2412
	FRL 5.5	2024-au2411
	FRU 4 (lifting bed version)	2024-au4472
Shenzhen Cosber Industrial Co Ltd	Model Cosber KZD-3 series of roller brake testing machines	25 September 2008, No 143, p 3901
Sherpa	BPS Twin ZT-18115	27 Nov 2025 au6897
	BS Kompact 3.5	27 November 2014, No 143
	PBT-24-4757	11 May 2017, No. 49, 2017-au2196
	PPS-101-ECO (plate brake tester)	2023-au592
Turnkey	G-meter decelerometer	11 June 2025, 2025-au3176
Vamag	RBT-C	2 June 2016, No 50
	RBT3500 C7	16 March 2017, No 29, 2017-au1231
	RBT3500 XS	16 March 2017, No 29, 2017-au1232

Manufacturer	Models	Gazette notice details
Van Leeuwen Test Systems B.V.	VLT 423 roller brake machine	16 January 2014, No 4, p129
Vehicle Inspection Systems Pty Ltd	VIS-Check, VIS-TF-RL and VIS-VE-RL	4 March 2010, No 25, p 580
VTEQ S.L. (Spain)au2412 (previously BCN)	VTEQ 3080	14 August 2003, No 101, p 2689
	VTEQ 2080	17 February 2004, No 17, p 372
	VTEQ 6000 (analogue) VTEQ 7000 (digital)	9 November 2006, No. 132, p 3837

The following mechanical decelerometers cannot be used by inspecting organisations that are authorised to operate after 1 June 2023. Inspecting organisations that were authorised to operate before 1 June 2023 have until 1 June 2024 to phase out their use and be replaced by an approved electronic decelerometer.

Table 5.6.1. Mechanical decelerometers being phased out June 2024

Manufacturer	Models	Gazette notice details
Tecalemit	Model No DE 5000 CU Roller brake testing machine	22 February 1996, No 15, p 508
Weaver	WY-25, WY-30, WY-40S, WY-55, WY-60, WY-70S, WY-75 and WY-76	7 March 1957, No 20, p 449

5.7 Approved brake test equipment (CoF - heavy vehicles)

Note A decelerometer from the WoF list under 5.5 may be used only under special circumstances, such as the roller brake machine breaking down unexpectedly, or being presented with a vehicle that cannot be reasonably tested on the roller brake machine. Refer to [Heavy vehicle brake testing protocol](#) for detailed requirements.

An [approved qualified persons list](#) is also available.

Manufacturer	Models	Gazette notice details
AECS	STT 45	20 April 2018, 2018-au1907
	STT 30	2021-au5065
BM Autotechnik	Portable truck brake testing machine Model No BM 20200	30 January 1997, No 8, p 190
	BM12200	5 April 2001, No 37, p 829
	BM14200	13 December 2017, No 138, p 3622
	BM17200	1 August 2000, No 89, p 2184
	BM18200	6 April 2017, No 37, 2017-au1650
Energotest	EnergosM Decelerometer	2021-au5214
ESPI.ME	ESPI-VIS roller brake machine	16 January 2014, No 4, p128
Jevol	Model RRT-7500	21 August 2014, No 96, p2732
	Model RRT-7500M	27 November 2014, No 143
	Model RRT-9500	5 February 2015, No 13
MAHA	MAHA Roller brake testing machine Model IW 4	21 March 1996, No 28, p 867
	MAHA Roller brake tester Model IW 7 Mobile	15 June 2006, No 52, p 1430
	MBT 5250 and MBT 4250 Eurosystem (was Model IW 4)	17 October 2013, No 143, p 3914
	MBT 7250 EUROSYSYSTEM	29 May 2018, No 2018-au2604

Manufacturer	Models	Gazette notice details
MTL 5250	16 February 2017, No 2017-au642	
Nepean	Model Barbie 14104 Vehicle inspection trailer	11 June 1998, No 79, p 1760
Ryme Worldwide DA	FRU 4	2024-au2413
	FRU P	2024-au2414
Sherpa	BPS Twin-XT-18115	2024-au2924
	BPS-Mobile-18.0	2024-au2924
Simaret	Models Simaret BrakeSafe, Simaret 3000, Simaret F	12 November 1998, No 184, p 4350
Triangle	Brake testing instrument Commercial Vehicle Model	5 May 1966, No 25, p 737
Vamag	RBT-C	2 June 2016, No 50
	RBT/CMS FW	20 April 2018, No 2018-au2606
	RBT/C MS	7 June 2019, No. 2019 au2677
	RBT/CP	4 February 2021, No 2021-au371
Van Leeuwen Test Systems B.V.	VLT 14033 and VLT 140033 roller brake machines VLT 16033 and VLT 160033 roller brake machines	16 January 2014, No 4, p 129
Vehicle Inspection Systems Pty Ltd	VIS-Check, VIS-TF-RL and VIS-VE-RL	4 March 2010, No 25, p 580
Vericom	Model VC2000 and VC2000PC Brake testing computers	26 October 1995, No 122, p 3775
	Model VC3000	27 March 2003, No 30, p 847

Manufacturer	Models	Gazette notice details
VTEQ S.L. (Spain)	VTEQ 7000 (digital)	November 2006, No 132, p3837

Page updated 18 December 2025 (see [details](#))

6 Appointments

Information on applying to be a vehicle inspector (VI) or inspecting organisation (IO) can be found in the Vehicle Inspection Portal Applications section.

[Information on becoming a WoF and/or CoF VI](#)

[Information on becoming a WoF and/or CoF IO](#)

Maintaining your vehicle inspector appointment

Appointment as a vehicle inspector is for a 3-year term.

To maintain your appointment you must complete a minimum of 25 inspections per 12-month period, including at least one inspection in each category you hold.

Inspection categories are:

- WoF
- CoF A
- CoF B.

Your appointment or an inspection category may be revoked or it may expire if it's not used within a 12-month period.

7 Definitions and abbreviations

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

A-train	means an articulated vehicle towing a full trailer.
Affix	in relation to a vehicle identifier, means stamp, emboss, etch or engrave onto a) the permanent structure of a motor vehicle, or b) a plate affixed to the permanent structure of a vehicle.
Agricultural	in relation to purposes or operations, means connected directly with the operation or management of a farm.
Agricultural motor vehicle	a) means a motor vehicle that is designed, constructed or adapted for agricultural purposes, and includes: i) an agricultural trailer, and ii) an agricultural tractor, but b) does not include any vehicle that is: i) of a class specified in section 3-2 of the Introduction, and ii) designed or constructed for general road use.
Agricultural purpose	includes: a) land cultivation b) growing and harvesting crops (including horticulture and viticulture) c) rearing livestock d) any land management operation undertaken in connection with the operation or management of a farm. • Agricultural purpose does not include forestry, or any land management operation not referred to in (a) to (d) above.
Agricultural tractor	means a vehicle that is designed and constructed principally for the purposes of: a) towing an agricultural trailer , or b) drawing, or powering, an implement ordinarily used for an agricultural purpose.

Agricultural trailer	<p>means:</p> <ul style="list-style-type: none"> a) a trailer that is used exclusively for agricultural purposes, and b) includes a wheeled agricultural implement, the wheels of which are in contact with the road when the implement is being towed; but c) does not include a trailer that is <ul style="list-style-type: none"> i. designed for the carriage of goods operated at a speed exceeding 40km/h, or ii. a logging trailer.
Air brake	<p>means a brake, the operation of which requires the use of compressed air.</p>
All-terrain vehicle (ATV)	<p>means a vehicle, with or without motor cycle controls and equipment, that:</p> <ul style="list-style-type: none"> a) is principally designed for off-road use, and b) has three or more wheels, and c) has an engine capacity exceeding 50 ml, and d) has a gross weight of less than 1000 kg.
Alley lamp	<p>means a work lamp designed primarily to provide a fixed or movable beam of light to the side of a vehicle to which it is fitted.</p>
Alternative fuel inspection certificate	<p>means evidence of vehicle inspection relating to the periodic in-service inspection and certification of an LPG or CNG fuel system.</p>
Alternative fuel installation certificate or compliance plate	<p>means an inspection and certification document relating to the installation of an LPG or CNG fuel system.</p>
Alternative fuel system	<p>means a fuel storage and conducting system that is used to provide liquid petroleum gas, compressed natural gas or any other pressurised liquid or gaseous fuel (other than petrol or diesel) for the purpose of propulsion of a vehicle.</p>
Alternative fuel system inspection and certification	<p>means inspection and certification of an LPG or CNG fuel system comprising either</p> <ul style="list-style-type: none"> a) specialist inspection and certification required for the issuing of an alternative fuel installation certificate or an alternative fuel installation compliance plate, or b) in-service inspection and certification required for the issuing of an alternative fuel inspection certificate.

Ambulance	means a motor vehicle designed and used principally for the carriage of sick or injured persons.
Ambulance service	means a service that complies with the requirements in NZS 8156:2002 Ambulance Sector Standard, and is generally a vehicle marked and identified as an ambulance.
Anti-glare band overlay	means a tinted overlay that is transparent and that is applied along the top edge of the windscreen for the purpose of reducing glare from the sun.
Antilock braking system (ABS)	means a system that senses wheel slip and automatically modulates the pressure producing the braking forces at the wheel or wheels to limit the degree of wheel slip.
Applicable requirement	means any requirement specified or incorporated in an Act, regulation, code or rule that applies to the design, construction, condition, equipment, modification, repair or maintenance of a specific vehicle. All applicable requirements for in-service inspection and certification are contained in this manual.
Approved	in relation to an appliance, apparatus, device, system, component, equipment or fitting, means approved by NZTA.
Articulated bus	means a bus consisting of two or more rigid sections that: <ul style="list-style-type: none"> a) articulate relative to each other, and b) have interconnecting passenger compartments that allow passengers to move freely between them, and c) are not easily detachable from each other without specialist equipment.
Articulated vehicle	means any motor vehicle with a semi-trailer attached, so that part of the semi-trailer is superimposed upon the motor vehicle and a substantial part of the weight of the semi-trailer and of its load is borne by the motor vehicle.
Asymmetric dipped-beam headlamp	means a dipped-beam headlamp that emits a beam of light with a distinct horizontal cut-off from at least the centre to the edge of the beam.
At a height not exceeding	in relation to lighting equipment fitted to a vehicle, means the height above which no part of the illuminated area of the equipment extends when the vehicle is at its gross vehicle mass and when each tyre with which the vehicle is fitted is inflated to the pressure recommended by the vehicle manufacturer.
Auxiliary brake	means a device, other than a service brake or parking brake, fitted to a vehicle to enable the driver to control its speed, whether or not it is suitable to stop the vehicle.

Average deceleration	means the average deceleration during braking, which is either the mean value of deceleration during braking or the deceleration calculated from the distance travelled during the period when the deceleration occurred and the difference between the speed immediately before and after that.
Axle	means one or more shafts, spindles, or bearings in the same vertical transverse plane by means of which, in conjunction with wheels mounted on those shafts, spindles, or bearings, a portion of the weight of the vehicle is transmitted to the roadway, and: <p>a) if two or more wheels of a motor vehicle are substantially in the same line transversely and some or all of them have separate axles, the axles of all those wheels are to be treated as one axle;</p> <p>b) if the longitudinal centre-line of an axle of a motor vehicle is less than 1m distant from the longitudinal centre-line of another axle, the two axles are to be treated as one axle (“a dual axle”);</p> <p>c) for the purposes of measuring the distance of a dual axle from any other axle, the measurement is taken from the longitudinal centreline of the axle that is nearer to the axle from which the distance is to be measured.</p>
Axle set	means a single axle set, a tandem axle set, a twin-steer axle set, a tri-axle set or a quad-axle set.
Axle stop device	means a device to control the movement of the axle in the event of suspension failure.
B-train	means a motor vehicle comprising a towing vehicle and two semi-trailers connected at two points of articulation where the forward distance of the longer trailer divided by the forward distance of the shorter trailer does not exceed 1.4.
Ballrace turntable	means a device incorporating a low friction ball bearing fitted between two substantial structural components of a vehicle to enable rotational motion between those components about a vertical axis.
Beacon	means a warning lamp comprising one or more light sources designed to emit a flashing light or a revolving beam of light.
Body	means the part of the vehicle that is designed for the use and accommodation of the occupants or to hold any goods, and (for PSVs) includes all of the portion of the vehicle that is designed for the use and accommodation of the occupants and their luggage, and to hold any goods that may be carried.
Body transfer vehicle	means a motor vehicle that is used primarily for the transportation of deceased persons.

Bolster Attachment Code	means the Bolster Attachment Code of the Log Transport Safety Council, approved by the NZTA.
Brake	means a system to reduce the speed of a vehicle, to stop the vehicle or to keep the vehicle stationary.
Brake circuit	means the combination of components that functionally links the brake control and the foundation brake. The circuit may be mechanical, hydraulic, pneumatic, electrical or a mix of these.
Brake coupling	means the device for connecting the control and supply lines of the towing vehicle to the control and supply lines of the trailer.
Brake friction material	means a brake component having a friction surface that is designed to be preferentially sacrificed.
Brake friction surface	means any surface of a brake component that is designed to convert kinetic energy to heat.
Brake lining	means a brake lining in the case of a drum brake, and a brake pad in the case of a disc brake.
Brake lining assembly	means a component of a friction brake, including a brake lining and its backing plate or a brake lining and its brake shoe, that is pressed against the brake disc or drum to produce friction force.
Brake pedal assembly	means an assembly containing the brake pedal and pedal pivot, pedal bracket, pedal return spring and associated components.
Brake reservoir	means a device designed and constructed to store fluid, compressed air, compressed gas or vacuum; does not include pipes, valves, hoses or booster cylinders operated by vacuum or compressed air.
Braking force	means the retarding force generated by a brake assembly.
Breakaway brake	means a service brake or parking brake fitted to a trailer that ensures, under all conditions of use, that, if the trailer is unintentionally disconnected from its towing vehicle, the brake will automatically and immediately apply and will remain applied for at least 15 minutes.
Cab-guard	means a structure attached to a vehicle that provides protection to the cab occupants from the effects of load impact, and may include a headboard.

Caravan trailer	means a trailer that is permanently equipped with features intended to make the vehicle suitable as a person's dwelling place, and must include at least one sleeping berth and one table, both of which may be of a design that allows them to be retracted or folded away.
Central tyre inflation system	means a type of tyre pressure control system that adjusts tyre pressure for the purpose of inflating and deflating tyres to improve tyre adhesion and reduce road surface damage and which is under the central control of the driver or an automated system, or a combination of both the driver and an automated system (commonly known as 'CTI').
Certificate of fitness (CoF)	means evidence of vehicle inspection issued to vehicles listed under 3.3.1 of the Introduction.
Certificate of fitness inspection and certification	means periodic in-service inspection and certification of a vehicle listed under 3.3.1 of the Introduction.
Certificate of loading (CoL)	means a certificate issued to a vehicle that requires verification of its loading and weight limits.
Certificate of loading inspection and certification	means inspection and certification of a vehicle, required for the issuing of a certificate of loading.
Certify	means <ul style="list-style-type: none"> a) in relation to a vehicle, or specific aspect of a vehicle, to make a record of determination that confirms that the vehicle inspector or inspecting organisation has determined that the vehicle or specific aspect of the vehicle complies with the applicable requirements, or b) in relation to a vehicle's loading and weight limits, to make a record of determination of a vehicle's loading and weight limits.
Chassis	means the structural lower part of a vehicle to which the running gear and, as applicable, engine, transmission, steering system and body may be attached.
Chassis assembly	means a chassis with running gear attached and, as applicable, engine, transmission and steering system attached.
Child restraint	includes child seats, booster seats and seatbelts designed specifically to fit children.
Child safety lock	means a safety device installed during the manufacture of the vehicle to prevent a door from being opened from inside of the vehicle.

Class	in relation to vehicles, means a category of vehicle of one of the Groups A, L, M, N and T, as specified under 3.2 of the Introduction.
CNG	means compressed natural gas.
Coaming rail	means a raised frame boarder around the load platform of a vehicle.
Code of conduct	means the code that provides the minimum ethical and behavioural standards that are expected of all vehicle inspectors appointed by the Transport Agency to deliver vehicle inspection and certification services.
Combination vehicle	means a towing vehicle in combination with one or more trailers or other motor vehicle that is being towed.
Combined brake system	means: <ul style="list-style-type: none"> • for vehicle classes LA and LC, a service brake system where at least two brakes on different wheels are operated by the actuation of a single control • for vehicle classes LB and LE, a service brake system where the brakes on all wheels are operated by the actuation of a single control • for vehicle class LD, a service brake system where the brakes on at least the front and rear wheels are operated by the actuation of a single control. If the rear wheel and sidecar wheel are braked by the same brake system, this is regarded as the rear brake.
Compliance label	means an attachment to a vehicle in the form of a label that confirms compliance of the vehicle or a specific aspect of the vehicle with applicable requirements.
Compliance plate	means an attachment to a vehicle in the form of a plate that confirms compliance of the vehicle or a specific aspect of the vehicle with applicable requirements.
Conditional permit (or permit, including temporary permit or 28-day permit)	means inspection and certification document that confirms that a determination has been made that the vehicle is safe to be operated under specified conditions.
Conflict of interest	<p>A conflict of interest means where there is, could be, or may be perceived to be, a conflict between the financial or professional interests or obligations of the inspecting organisation or vehicle inspector and their obligations under the terms of the IOs Notice of Appointment.</p> <p>It means that the impartiality, independence or objectivity of the IO and/or VI may be called into question. The conflict may be (a) actual: where the conflict currently exists; (b) potential: where the conflict is about to happen or could happen; (c) perceived: where other people may reasonably think a person is compromised.</p>

Construction (vehicle)	means the manufacture, assembly, reassembly or modification of a vehicle, and includes all acts and activities related or incidental to the construction of a vehicle.
Construction (tyre)	means: a) for a pneumatic tyre, the type of tyre carcass (including ply orientation and ply rating or load index), or b) for any other tyre, characteristics relating to size, shape and material.
Control	means the part of the brake actuated directly by the driver to regulate the operation of the brake.
Controlled document	means a document you must use and complete as part of your inspection and certification work, such as a WoF or CoF label, WoF or CoF checksheet, or a certificate of loading
Control (service) line	means the part of the brake circuit that transmits the service brake signal within a vehicle and also between vehicles being operated as a combination vehicle.
Converter dolly	means an individual trailer unit with a fifth-wheel coupling used to convert a semi-trailer to a full trailer. A dolly must have either a) a rigid drawbar associated with an oscillating fifth wheel and a single axle or a tandem axle set, or b) a tandem axle set with a hinged drawbar with a fixed fifth wheel.
Cornering lamp	means a lamp designed to emit light at the front of the vehicle to supplement a vehicle's headlamps by illuminating the road ahead in the direction of the turn.
Corrosion damage	is where the metal has been eaten away, which is evident by pitting. The outward signs of such corrosion damage is typically displayed by the lifting or bubbling of paint. In extreme cases, the area affected by the corrosion damage will fall out and leave a hole.
Coupling	means that part of a vehicle that is specifically designed to enable it to be connected to another vehicle, and does not include a structural member of the towing or towed vehicle.
Cosmetic lamp	means a lamp that is not a headlamp, stop lamp, direction-indicator lamp, position lamp, rear registration plate illumination lamp, reflector, fog lamp, daytime running lamp, cornering lamp, reversing lamp, reflective material, interior lamp, work lamp, flashing or revolving beacon or illuminated vehicle-mounted sign.
Crew	in relation to a PSV, means the person or group of persons in control or having responsibility for the operation of the vehicle or the well-being of the passengers.

Cross-ply	means a pneumatic tyre structure in which the ply cords in the tyre carcass extend to the beads and are laid at alternate angles, which are substantially less than 90 degrees, to the centreline of the tread. This tyre structure is also referred to as 'bias ply' or 'diagonal ply'.
Cut-off	means that part of a dipped beam that marks a separation between areas of higher and lower luminance.
Daytime running lamp	means a lamp designed to emit a low-intensity light forward of a vehicle to make it more easily seen in the daytime.
Deceleration	means the rate of speed reduction over time.

Dedicated combination

8 Sample certification documents

- Figure 8-1-1. LVV certification plates

- Figure 8-1-2. Modification declaration

- Figure 8-1-3. LVV Authority cards (can only be issued by MotorSport NZ and the NZ Hot Rod Association)

- Figure 8-1-4. Vintage Car Club identity cards

- Figure 8-1-5. Vehicle licence label

- Figure 8-1-6. LT400 Heavy vehicle specialist certificate

- Figure 8-1-7. Sample LVVTA electronic data plate

Figure 8-1-1. LVV certification plates

LVV certification plate in use up to November 1993

LVV certification plate in use between November 1993 and May 1994

LVV certification plate in use from May 1994

LVV certification plate in use up to 2007

LVV certification plate in 2007 to 2014

LVV certification plate in use 2014-2018